

## DRAFT

# *NSWBA List of the Birds of New South Wales, the Australian Capital Territory & Lord Howe Island Group*

Dick Cooper

The New South Wales Bird Atlassers Inc. (NSWBA) was established in 1982 with aims focussed on monitoring the distribution of birds in New South Wales (including the Lord Howe group) and the Australian Capital Territory. To achieve this, the NSWBA established and maintains a comprehensive database on the occurrence, breeding and non-breeding distribution of those birds recorded within the area concerned.

For this purpose the NSWBA needs to have ready access to, and maintain, an accurate list of those species and subspecies of birds reported to occur in NSW, including Lord Howe Island, the Tasman Sea from the NSW coast to 200 kms offshore, Elizabeth and Middleton Reef Marine National Nature Reserve, and the ACT.

Introduced birds, aviary releases/escapees and feral and hybrid populations are also considered important as are species and subspecies that no longer occur within the region and birds incorrectly reported as occurring here.

Six hundred birds (600) have been recorded in the NSWBA area of interest. Twenty-four percent (24%) of these birds are not listed on the NSWBA Atlas Sheet because they are rare, vagrant or infrequently reported. For each of these birds the NSWBA may require supporting information and Atlassers are encouraged to take detailed notes and photographs of their observations of these birds and include same with the Atlas Sheet. Apart from the NSWBA Vetting Committee, there are two other groups that seek information on rare or vagrant species. There are **BARC** - Birdlife Australia Rarities Committee and **NSWORAC** - NSW Ornithological Records Appraisal Committee.

The NSWBA Bird List largely follows the order applied using the taxonomy recommended by Birdlife Australia's WLAB V4.1. Taxonomy classifies living organisms into families, species, subspecies etc. and aids identification of species, helps understand their relationships, the needs of specific organisms and can aid conservation, however, taxonomy is not static and scientists continue to explore genetic, physiological, and morphological evidence. Australia is presently experiencing a period of extensive taxonomic change though not every taxonomic findings is accepted universally. This means that different organisations may have bird lists that vary. The NSW Bird Atlassers bird list aims to provide members and other birders with a current list of birds found in our area of interest as well as other information, i.e. it is a multi-functional document.

At the basic level, it lists, under the heading '**NSW**', all birds accepted as occurring within the NSWBA area of interest, as indicated above, and whether each species occurs regularly (shown as 'X') or as a 'Vagrant'. A 2nd column, headed '**LHI**' identifies those species/subspecies regularly occurring on Lord Howe Island and other islands of that group. Both lists reflect currently accepted taxonomic status for each bird and subspecies though the names listed are considered the most practical common names used by birders for Australian bird species.

The list also indicates in the '**Comments**' column those species assessed as threatened species under NSW and/or ACT legislation, indicating the assessed threat status using the abbreviations of 'Ex' - Extinct, 'CE' - Critically Endangered; 'E' - Endangered, 'V' - Vulnerable. Where a threat assessment is only contained in the national Environment Protection and Biodiversity Conservation (EPBC) Act 1999, that species' status is included. There are other several items included in the '**Comments**' column. There are:

- \* the scientific name(s) of the subspecies known to occur within the NSWBA area of interest, where there is more than one subspecies in Australia;
- \* alternate common names used in WLAB V4.1 - highlighted in Bold, or by the IOC - highlight in bold on a yellow background;
- \* introduced/feral species are indicated as '**Introduced**' and, where possible, the relevant subspecies is identified. '**ssp?**' indicates that the subspecies is not known;

- \* the key Bio-geographic regions that the bird is known to frequent (refer Vol. 1 of the NSW/ACT Atlas for full details);
- \* for rare and vagrant species, this column includes an abbreviated indication of the nominated appraisal group, as follows - NSWBA, BARC or NSWORAC; and
- \* other helpful information about some species is included within a green background.

This approach means we provide as much detail as practical about any species/subspecies to better inform members and other users.

\* \* \* \* \*

Atlas ID	Common & Scientific Names	NSW	LHI	Comments
<b>Casuariidae</b>				
001	<b>Emu</b> <i>Dromaius novaehollandiae</i>	X		
<b>Anseranatidae</b>				
199	<b>Magpie Goose</b> <i>Anseranas semipalmata</i>	X		
<b>Anatidae</b>				
205	<b>Plumed Whistling-Duck</b> <i>Dendrocygna eytoni</i>	X		
204	<b>Wandering Whistling-Duck</b> <i>Dendrocygna arcuata</i>	X		
198	<b>Cape Barren Goose</b> <i>Cereopsis novaehollandiae</i>	Vagrant		
799	<b>Canada Goose</b> <i>Branta canadensis</i>	Vagrant	Vagrant	
203	<b>Black Swan</b> <i>Cygnus atratus</i>	X	Vagrant	
214	<b>Freckled Duck</b> <i>Stictonetta naevosa</i>	X		
206	<b>Radjah (Raja) Shelduck</b> <i>Radjah radjah</i>	Vagrant		
207	<b>Australian Shelduck</b> <i>Tadorna tadornoides</i>	X	Vagrant	
798	<b>Paradise Shelduck</b> <i>Tadorna variegata</i>	Vagrant	Vagrant	
213	<b>Pink-eared Duck</b> <i>Malacorhynchus membranaceus</i>	X		
202	<b>Australian Wood Duck</b> <i>Chenonetta jubata</i>	X	Vagrant	<b>IOC = Maned Duck</b>
200	<b>Cotton Pygmy-goose</b> <i>Nettapus coromandelianus</i>	X		
201	<b>Green Pygmy-goose</b> <i>Nettapus pulchellus</i>	Vagrant		
209	<b>Garganey</b> <i>Spatula querquedula</i>	Vagrant		
212	<b>Australasian Shoveler</b> <i>Spatula rhynchos</i>	X		
905	<b>Northern Shoveler</b> <i>Spatula clypeata</i>	Vagrant		
208	<b>Pacific Black Duck</b> <i>Anas superciliosa</i>	X		
800	<b>Northern Pintail</b> <i>Anas acuta</i>	Vagrant		
948	<b>Mallard</b> <i>Anas platyrhynchos</i>	X		<b>INTRODUCED</b> <b>Common Mallard</b> , <i>A. p. platyrhynchos</i>
211	<b>Grey Teal</b> <i>Anas gracilis</i>	X	Vagrant	
210	<b>Chestnut Teal</b> <i>Anas castanea</i>	X	Vagrant	
215	<b>Hardhead</b> <i>Aythya australis</i>	X	Vagrant	
216	<b>Blue-billed Duck</b> <i>Oxyura australis</i>	X		
217	<b>Musk Duck</b> <i>Biziura lobata</i>	X		
<b>Megapodiidae</b>				
008	<b>Australian Brush-turkey</b> <i>Alectura lathami</i>	X		
007	<b>Malleefowl</b> <i>Leipoa ocellata</i>	X		
<b>Phasianidae</b>				
009	<b>Stubble Quail</b> <i>Coturnix pectoralis</i>	X		
010	<b>Brown Quail</b> <i>Synoicus ypsilophora</i>	X		<b>Mainland Brown Quail</b> , <i>S.y. australis</i>
012	<b>King Quail</b> <i>Excalfactoria chinensis</i>	X		
<b>Podargidae</b>				
314	<b>Marbled Frogmouth</b> <i>Podargus ocellatus</i>	X		
313	<b>Tawny Frogmouth</b> <i>Podargus strigoides</i>	X		
<b>Eurostopodidae</b>				
331	<b>Spotted Nightjar</b> <i>Eurostopodus argus</i>	X		
330	<b>White-throated Nightjar</b> <i>Eurostopodus mystacalis</i>	X		
<b>Aegothelidae</b>				
317	<b>Australian Owlet-nightjar</b> <i>Aegotheles cristatus</i>	X		
<b>Apodidae</b>				
333	<b>Australian Swiftlet</b> <i>Aerodramus terraereginae</i>	Vagrant		
881	<b>Uniform Swiftlet</b> <i>Aerodramus vanikorensis</i>	Vagrant		1 record only, Munmorah SRA, 8-11-2021 : BARC
334	<b>White-throated Needletail</b> <i>Hirundo opus caudacutus</i>	X	Vagrant	
335	<b>Fork-tailed Swift</b> <i>Apus pacificus</i>	X	Vagrant	<b>IOC = Pacific Swift</b>
<b>Otididae</b>				
176	<b>Australian Bustard</b> <i>Ardeotis australis</i>	X		

### Cuculidae

349	Pheasant Coucal	<i>Centropus phasianinus</i>	X	
347	Pacific (Eastern) Koel	<i>Eudynamys orientalis</i>	X	
791	Long-tailed Cuckoo	<i>Urodynamys taitensis</i>		Vagrant IOC = Pacific Long-tailed Cuckoo
348	Channel-billed Cuckoo	<i>Scythrops novaehollandiae</i>	X	
342	Horsfield's Bronze-Cuckoo	<i>Chalcites basalis</i>	X	
341	Black-eared Cuckoo	<i>Chalcites osculans</i>	X	
344	Shining Bronze-Cuckoo	<i>Chalcites lucidus</i>	X	
	344a	Golden Bronze-Cuckoo	<i>C.l. plagosus</i>	
	344b	Shining Bronze-Cuckoo	<i>C.l. lucidus</i>	
345	Little Bronze-Cuckoo	<i>Chalcites minutillus</i>	X	
337	Pallid Cuckoo	<i>Cacomantis pallidus</i>	X	
338	Fan-tailed Cuckoo	<i>Cacomantis flabelliformis</i>	X	Change to <i>flabelliformis</i> in Vol. 2 page 359
339	Brush Cuckoo	<i>Cacomantis variolosus</i>	X	
336	Oriental Cuckoo	<i>Cuculus optatus</i>	X	

### Columbidae

957	Rock Dove	<i>Columba livia</i>	X	INTRODUCED Common Rock Dove, <i>C. l.livia</i>
028	White-headed Pigeon	<i>Columba leucomela</i>	X	
989	Spotted Dove	<i>Spilopelia chinensis</i>	X	Vagrant INTRODUCED ssp?
029	Brown Cuckoo-Dove	<i>Macropygia phasianella</i>	X	
033	(Pacific) Emerald Dove	<i>Chalcophaps longirostris</i>	X	
034	Common Bronzewing	<i>Phaps chalcoptera</i>	X	
035	Brush Bronzewing	<i>Phaps elegans</i>	X	Vagrant
036	Flock Bronzewing	<i>Phaps histronica</i>	X	
043	Crested Pigeon	<i>Ocyphaps lophotes</i>	X	
039	Squatter Pigeon	<i>Geophaps scripta</i>	X	
031	Diamond Dove	<i>Geopelia cuneata</i>	X	
030	Peaceful Dove	<i>Geopelia placida</i>	X	
032	Bar-shouldered Dove	<i>Geopelia humeralis</i>	X	
044	Wonga Pigeon	<i>Leucosarcia melanoleuca</i>	X	
025	Wom poo Fruit-Dove	<i>Ptilinopus magnificus</i>	X	
023	Superb Fruit-Dove	<i>Ptilinopus superbus</i>	X	
021	Rose-crowned Fruit-Dove	<i>Ptilinopus regina</i>	X	
026	Torresian Imperial Pigeon	<i>Ducula spilorrhoa</i>	Vagrant	
027	Topknot Pigeon	<i>Lopholaimus antarcticus</i>	X	

### Rallidae

899	Corncrake	<i>Crex crex</i>	Vagrant	
045	Lewin's Rail	<i>Lewinia pectoralis</i>	X	
046	Buff-banded Rail	<i>Hypotaenidia philippensis</i>	X	
966	Lord Howe Woodhen	<i>Hypotaenidia sylvestris</i>	X	
049	Australian (Spotted) Crake	<i>Porzana fluminea</i>	X	
055	Black-tailed Native-hen	<i>Tribonyx ventralis</i>	X	
056	Dusky Moorhen	<i>Gallinula tenebrosa</i>	X	
059	Eurasian Coot	<i>Fulica atra</i>	X	
058	Purple Swamphen	<i>Porphyrio melanotus</i>	X	IOC = Australasian Swamphen
050	Baillon's Crake	<i>Zapornia pusilla</i>	X	
051	Spotless Crake	<i>Zapornia tabuensis</i>	X	
052	White-browed Crake	<i>Poliolimnas cinerea</i>	Vagrant	
053	Pale-vented Bush-hen	<i>Amauornis moluccana</i>	X	

### Gruidae

177	Brolga	<i>Grus rubicunda</i>	X
-----	--------	-----------------------	---

### Podicipedidae

062	Australasian Grebe	<i>Tachybaptus novaehollandiae</i>	X	Vagrant
062	Hoary-headed Grebe	<i>Poliocephalus poliocephalus</i>	X	Vagrant
060	Great Crested Grebe	<i>Podiceps cristatus</i>	X	

### Turnicidae

013	Red-backed Button-quail	<i>Turnix maculosa</i>	X
017	Black-breasted Button-quail	<i>Turnix melanogaster</i>	X
014	Painted Button-quail	<i>Turnix varia</i>	X
019	Red-chested Button-quail	<i>Turnix pyrrhothorax</i>	X
018	Little Button-quail	<i>Turnix velox</i>	X

### Burhinidae

174	Bush Stone-curlew	<i>Burhinus grallarius</i>	X
175	Beach Stone-curlew	<i>Esacus magnirostris</i>	X

**Haematopodidae**

- 744 **South Island Pied Oystercatcher** *Haematopus finschi* X  
 130 **Australian Pied Oystercatcher** *Haematopus longirostris* X  
 131 **Sooty Oystercatcher** *Haematopus fuliginosus* X

NOTE: Vol. 3 Supplementary section entry, page 646, name should be prefixed '744'

**Recurvirostridae**

- 146 **Black-winged Stilt** *Himantopus himantopus* X  
 147 **Banded Stilt** *Cladorhynchus leucocephalus* X  
 148 **Red-necked Avocet** *Recurvirostra novaehollandiae* X

**Charadriidae**

- 9918 **Grey-headed Lapwing** *Vanellus cinereus* Vagrant  
 133 **Masked Lapwing** *Vanellus miles* X  
   133a **Masked Lapwing** *V.m. miles*  
   133b **Masked Lapwing** *V.m. novaehollandiae*  
 132 **Red-kneed Dotterel** *Erythrogonys cinctus* X  
 145 **Inland Dotterel** *Peltohyas australis* X  
 137 **Pacific Golden Plover** *Pluvialis fulva* X  
 844 **American Golden Plover** *Pluvialis dominicus* Vagrant  
 136 **Grey Plover** *Pluvialis squatarola* X  
 895 **Ringed Plover** *Charadrius hiaticula* Vagrant IOC = Common Ringed Plover

- 770 **Kentish Plover** *Charadrius alexandrinus* Vagrant  
 143 **Red-capped Plover** *Charadrius ruficapillus* X  
 140 **Double-banded Plover** *Charadrius bicinctus* X  
 139 **Lesser Sand Plover** *Charadrius mongolus* X  
 141 **Greater Sand Plover** *Charadrius leschenaultii* X  
 142 **Oriental Plover** *Charadrius veredus* X  
 138 **Hooded Plover** *Thinornis cuculatus* X  
 135 **Banded Lapwing** *Vanellus tricolor* X  
 144 **Black-fronted Dotterel** *Elseyornis melanops* X

**Rostratulidae**

- 170 **Australian Painted Snipe** *Rostratula australis* X

**Jacanidae**

- 171 **Comb-crested Jacana** *Irediparra gallinacea* X

**Pedionomidae**

- 020 **Plains-wanderer** *Pedionomus torquatus* X

**Scolopacidae**

- 892 **Upland Sandpiper** *Bartramia longicauda* Vagrant  
 151 **Little Curlew** *Numenius minutus* X  
 150 **Whimbrel** *Numenius phaeopus* X Volume 2, page 29, wrongly names as *Numenius minutus*  
 149 **Eastern Curlew** *Numenius madagascariensis* X IOC = Far Eastern Curlew  
 153 **Bar-tailed Godwit** *Limosa lapponica* X  
 152 **Black-tailed Godwit** *Limosa limosa* X  
 815 **Hudsonian Godwit** *Limosa haemastica* Vagrant  
 129 **Ruddy Turnstone** *Arenaria interpres* X  
 165 **Great Knot** *Calidris tenuirostris* X  
 164 **Red Knot** *Calidris canutus* X  
 934 **Ruff** *Calidris pugnax* X  
 167 **Broad-billed Sandpiper** *Calidris falcinellus* X  
 163 **Sharp-tailed Sandpiper** *Calidris acuminata* X  
 161 **Curlew Sandpiper** *Calidris ferruginea* X  
 965 **Long-toed Stint** *Calidris subminuta* X  
 162 **Red-necked Stint** *Calidris ruficollis* X  
 166 **Sanderling** *Calidris alba* X  
 888 **Dunlin** *Calidris alpina* Vagrant  
 857 **Little Stint** *Calidris minuta* Vagrant  
 849 **White-rumped Sandpiper** *Calidris fuscicollis* Vagrant  
 887 **Buff-breasted Sandpiper** *Calidris subruficollis* Vagrant  
 978 **Pectoral Sandpiper** *Calidris melanotos* X  
 8066 **Semipalmated Plover** *Charadrius semipalmatus* Vagrant  
 939 **Asian Dowitcher** *Limnodromus semipalmatus* Vagrant  
 168 **Latham's Snipe** *Gallinago hardwickii* X  
 160 **Terek Sandpiper** *Xenus cinereus* X Vagrant  
 932 **Red-necked Phalarope** *Phalaropus lobatus* Vagrant

157	<b>Common Sandpiper</b> <i>Actitis hypoleucos</i>	X	Vagrant
156	<b>Wandering Tattler</b> <i>Tringa incana</i>	X	
155	<b>Grey-tailed Tattler</b> <i>Tringa brevipes</i>	X	
809	<b>Lesser Yellowlegs</b> <i>Tringa flavipes</i>	Vagrant	
891	<b>Common Redshank</b> <i>Tringa totanus</i>	Vagrant	
159	<b>Marsh Sandpiper</b> <i>Tringa stagnatilis</i>	X	
154	<b>Wood Sandpiper</b> <i>Tringa glareola</i>	X	
158	<b>Common Greenshank</b> <i>Tringa nebularia</i>	X	Vagrant
173	<b>Australian Pratincole</b> <i>Stiltia isabella</i>	X	
	<b>Glareolidae</b>		
172	<b>Oriental Pratincole</b> <i>Glareola maldivarum</i>	Vagrant	
	<b>Laridae</b>		
122	<b>Common Noddy</b> <i>Anous stolidus</i>	Vagrant	
124	<b>Black Noddy</b> <i>Anous minutus</i>	Vagrant	
972	<b>White Tern</b> <i>Gygis alba</i>	X	
982	<b>Grey Ternlet</b> <i>Procelsterna cerulea</i>	Vagrant	
654	<b>Aleutian Tern</b> <i>Onychoprion aleutica</i>	X	
121	<b>Bridled Tern</b> <i>Onychoprion anaethetus</i>	Vagrant	
120	<b>Sooty Tern</b> <i>Onychoprion fuscata</i>	X	
117	<b>Little Tern</b> <i>Sternula albifrons</i>	X	
118	<b>Fairy Tern</b> <i>Sternula nereis</i>	X	
111	<b>Australian (Gull-billed) Tern</b> <i>Gelochelidon macrotarsa</i>	X	
8794	<b>Common Gull-billed Tern</b> <i>Gelochelidon nilotica</i>	Vagrant	
112	<b>Caspian Tern</b> <i>Hydroprogne caspia</i>	X	
110	<b>Whiskered Tern</b> <i>Chlidonias hybrida</i>	X	
109	<b>White-winged (Black) Tern</b> <i>Chlidonias leucopterus</i>	X	
884	<b>Black Tern</b> <i>Chlidonias niger</i>	Vagrant	
113	<b>Roseate Tern</b> <i>Sterna dougallii</i>	Vagrant	
114	<b>White-fronted Tern</b> <i>Sterna striata</i>	X	
119	<b>Black-naped Tern</b> <i>Sterna sumatrana</i>	Vagrant	
953	<b>Common Tern</b> <i>Sterna hirundo</i>	X	
952	<b>Arctic Tern</b> <i>Sterna paradisaea</i>	X	
115	<b>Crested Tern</b> <i>Thalasseus bergii</i>	X	
126	<b>Pacific Gull</b> <i>Larus pacificus</i>	X	
981	<b>Kelp Gull</b> <i>Larus dominicanus</i>	X	
785	<b>Laughing Gull</b> <i>Larus atricilla</i>	Vagrant	
885	<b>Franklin's Gull</b> <i>Leucophaeus pipixcan</i>	Vagrant	
125	<b>Silver Gull</b> <i>Chroicocephalus novaehollandiae</i>	X	
783	<b>Sabine's Gull</b> <i>Xema sabini</i>	Vagrant	
	<b>Stercorariidae</b>		
979	<b>South Polar Skua</b> <i>Stercorarius maccormicki</i>	Vagrant	
980	<b>Brown Skua</b> <i>Stercorarius antarcticus</i>	X	
945	<b>Pomarine Jaeger</b> <i>Stercorarius pomarinus</i>	X	
145	<b>Arctic Jaeger</b> <i>Stercorarius parasiticus</i>	X	
933	<b>Long-tailed Jaeger</b> <i>Stercorarius longicauda</i>	X	
	<b>Phaethontidae</b>		
9966	<b>Red-billed Tropicbird</b> <i>Phaethon aethereus</i>	X	Vagrant
107	<b>Red-tailed Tropicbird</b> <i>Phaethon rubricauda</i>	Vagrant	
108	<b>White-tailed Tropicbird</b> <i>Phaethon lepturus</i>	X	Vagrant
	<b>Spheniscidae</b>		
8869	<b>Northern Rockhopper Penguin</b> <i>Eudyptes moseleyi</i>	Vagrant	
004	<b>Fiordland Penguin</b> <i>Eudyptes pachyrhynchus</i>	Vagrant	
968	<b>Macaroni Penguin</b> <i>Eudyptes chrysolophus</i>	Vagrant	
005	<b>Little Penguin</b> <i>Eudyptula minor</i>	X	
	<b>Oceanitidae</b>		
063	<b>Wilson's Storm-Petrel</b> <i>Oceanites oceanicus</i>	X	Vagrant
064	<b>Grey-backed Storm-Petrel</b> <i>Garrodia nereis</i>	X	
065	<b>White-faced Storm-Petrel</b> <i>Pelagodroma marina</i>	X	Vagrant
066	<b>Black-bellied Storm-Petrel</b> <i>Fregetta tropica</i>	X	
944	<b>White-bellied Storm-Petrel</b> <i>Fregetta grallia</i>	X	
8092	<b>New Zealand Storm-Petrel</b> <i>Fregetta maoriana</i>	Vagrant	
	<b>Diomedaeidae</b>		
086	<b>Wandering Albatross</b> <i>Diomedea exulans</i>	X	Vagrant
086a	<b>Wandering Albatross</b> <i>D. e. exulans</i>		
086b	<b>Gibson's Albatross</b> <i>D. e. gibsoni</i>		
086c	<b>Antipodean Albatross</b> <i>D. e. antipodensis</i>		

	086d	<b>Tristan Albatross</b> <i>D. e. dabbenena</i>	Vagrant	Vagrant
974	<b>Royal Albatross</b> <i>Diomedea epomophora</i>		X	
	974a	<b>Northern Royal Albatross</b> <i>D.e. sanfordi</i>		
	974b	<b>Southern Royal Albatross</b> <i>D.e. epomophora</i>		
092	<b>Sooty Albatross</b> <i>Phoebetria fusca</i>		X	
093	<b>Light-mantled Sooty Albatross</b> <i>Phoebetria palpebrata</i>		X	
088	<b>Black-browed Albatross</b> <i>Thalassarche melanophris</i>		X	
	088a	<b>Black-browed Albatross</b> <i>T. m. melanophris</i>		
	088b	<b>Campbell Albatross</b> <i>T. m. impavida</i>		
091	<b>Shy Albatross</b> <i>Thalassarche cauta</i>		X	
	091a	<b>Shy Albatross</b> <i>T. c. cauta</i>		
	091b	<b>White-capped Albatross</b> <i>T. c steadi</i>		
	091c	<b>Chatham Albatross</b> <i>T. c. eremita</i>	Vagrant	
	091d	<b>Salvin's Albatross</b> <i>T. c. salvini</i>		
090	<b>Grey-headed Albatross</b> <i>Diomedea chrysostoma</i>		X	
089	<b>Yellow-nosed Albatross</b> <i>Thalassarche chlororhynchos</i>		X	
	089a	<b>Indian Yellow-nosed Albatross</b> <i>T. c. carteri</i>		
	089b	<b>Atlantic Yellow-nosed Albatross</b> <i>T. c. chlororhynchos</i>	Vagrant	
931	<b>Buller's Albatross</b> <i>Diomedea bulleri</i>		X	
	931a	<b>Buller's Albatross</b> <i>D. b. bulleri</i>		
	931b	<b>Pacific Albatross</b> <i>D. b. platei</i>		
	<b>Hydrobatidae</b>			
9710	<b>Band-rumped Storm-Petrel</b> <i>Hydrobates castro</i>		Vagrant	
811	<b>Tristam's Storm-Petrel</b> <i>Hydrobates tristami</i>		Vagrant	
	<b>Procellariidae</b>			
929	<b>Southern Giant-Petrel</b> <i>Macronectes giganteus</i>		X	
937	<b>Northern Giant-Petrel</b> <i>Macronectes halli</i>		X	
074	<b>Southern Fulmar</b> <i>Fulmarus glacialisoides</i>		X	
949	<b>Antarctic Petrel</b> <i>Thalassoica antarctica</i>		Vagrant	
080	<b>Cape Petrel</b> <i>Daption capense</i>		X	
081	<b>Blue Petrel</b> <i>Halobaena caerulea</i>		X	
082	<b>Broad-billed Prion</b> <i>Pachyptila vittata</i>		X	
941	<b>Salvin's Prion</b> <i>Pachyptila salvini</i>		X	
084	<b>Antarctic Prion</b> <i>Pachyptila desolata</i>		X	
942	<b>Slender-billed Prion</b> <i>Pachyptila belcheri</i>		X	
083	<b>Fairy Prion</b> <i>Pachyptila trutur</i>		X	
915	<b>White-chinned Petrel</b> <i>Procellaria aequinoctialis</i>		X	
916	<b>Westland Petrel</b> <i>Procellaria westlandica</i>		X	
917	<b>Black Petrel</b> <i>Procellaria parkinsoni</i>		X	
073	<b>Grey Petrel</b> <i>Procellaria cinerea</i>		Vagrant	
069	<b>Wedge-tailed Shearwater</b> <i>Ardenna pacifica</i>		X	
975	<b>Buller's Shearwater</b> <i>Ardenna bulleri</i>		X	
071	<b>Short-tailed Shearwater</b> <i>Ardenna tenuirostris</i>		X	
070	<b>Sooty Shearwater</b> <i>Ardenna grisea</i>		X	
771	<b>Great Shearwater</b> <i>Ardenna gravis</i>		Vagrant	
072	<b>Flesh-footed Shearwater</b> <i>Ardenna carneipes</i>		X	
772	<b>Pink-footed Shearwater</b> <i>Ardenna creatopus</i>		Vagrant	
853	<b>Streaked Shearwater</b> <i>Calonectris leucomelas</i>		X	
068	<b>Fluttering Shearwater</b> <i>Puffinus gavia</i>		X	
913	<b>Hutton's Shearwater</b> <i>Puffinus huttoni</i>		X	
739	<b>Newell's Shearwater</b> <i>Puffinus newelli</i>		Vagrant	BARC re-evaluated Tropical Shearwater record and accepted as Newell's Sheawater.
067	<b>Little Shearwater</b> <i>Puffinus assimilis</i>		X	
920	<b>Tahiti Petrel</b> <i>Pseudobulweria rostrata</i>		X	
776	<b>Bulwer's Petrel</b> <i>Bulweria bulwerii</i>		Vagrant	
922	<b>Kermadec Petrel</b> <i>Pterodroma neglecta</i>		X	
921	<b>Herald Petrel</b> <i>Pterodroma heraldica</i>		Vagrant	
077	<b>White-headed Petrel</b> <i>Pterodroma lessonii</i>		X	Vagrant
971	<b>Providence Petrel</b> <i>Pterodroma solandri</i>		X	
5132	<b>Chatham Island Tāiko</b> <i>Pterodroma magentae</i>		X	or Magenta Petrel
076	<b>Soft-plumaged Petrel</b> <i>Pterodroma mollis</i>		Vagrant	
075	<b>Great-winged Petrel</b> <i>Pterodroma macroptera</i>		X	
935	<b>Kerguelen Petrel</b> <i>Aprodroma brevirostris</i>		Vagrant	
775	<b>Barau's Petrel</b> <i>Pterodroma baraui</i>		Vagrant	
810	<b>Juan Fernandez Petrel</b> <i>Pterodroma externa</i>		Vagrant	
919	<b>Mottled Petrel</b> <i>Pterodroma inexpectata</i>		X	
078	<b>Gould's Petrel</b> <i>Pterodroma leucoptera</i>		X	Vagrant

8073	<b>Collared Petrel</b> <i>Pterodroma brevipes</i>	Vagrant
078	<b>Cook's Petrel</b> <i>Pterodroma cookii</i>	X
774	<b>White-necked Petrel</b> <i>Pterodroma cervicalis</i>	X
956	<b>Vanuatu Petrel</b> <i>Pterodroma occulta</i>	Vagrant
955	<b>Black-winged Petrel</b> <i>Pterodroma nigripennis</i>	X
085	<b>Common Diving-Petrel</b> <i>Pelecanoides urinatrix</i>	X
910	<b>South Georgian Diving-Petrel</b> <i>Pelecanoides georgicus</i>	Vagrant
<b>Ciconiidae</b>		
183	<b>Black-necked Stork</b> <i>Ephippiorhynchus asiaticus</i>	X
<b>Fregatidae</b>		
095	<b>Great Frigatebird</b> <i>Fregata minor</i>	Vagrant
094	<b>Lesser Frigatebird</b> <i>Fregata ariel</i>	X
<b>Sulidae</b>		
104	<b>Australasian Gannet</b> <i>Morus serrator</i>	X
105	<b>Masked Booby</b> <i>Sula dactylatra</i>	X
105b	<b>Masked Booby</b> <i>S.d. tasmani</i>	X
105a	<b>Masked Booby</b> <i>S.d. personata</i>	Vagrant
103	<b>Red-footed Booby</b> <i>Sula sula</i>	X
102	<b>Brown Booby</b> <i>Sula leucogaster</i>	X
<b>Anhingidae</b>		
101	<b>Australasian Darter</b> <i>Anhinga novaehollandiae</i>	X
<b>Phalacrocoracidae</b>		
100	<b>Little Pied Cormorant</b> <i>Microcarbo melanoleucus</i>	X
098	<b>Black-faced Cormorant</b> <i>Phalacrocorax fuscescens</i>	X
099	<b>Australian Pied Cormorant</b> <i>Phalacrocorax varius</i>	X
097	<b>Little Black Cormorant</b> <i>Phalacrocorax sulcirostris</i>	X
096	<b>Great Cormorant</b> <i>Microcarbo melanoleucus</i>	X
<b>Threskiornithidae</b>		
179	<b>Australian White Ibis</b> <i>Threskiornis molucca</i>	X
180	<b>Straw-necked Ibis</b> <i>Threskiornis spinicollis</i>	X
178	<b>Glossy Ibis</b> <i>Plegadis falcinellus</i>	X
181	<b>Royal Spoonbill</b> <i>Platalea regia</i>	X
182	<b>Yellow-billed Spoonbill</b> <i>Platalea flavipes</i>	X
<b>Ardeidae</b>		
197	<b>Australasian Bittern</b> <i>Botaurus poiciloptilus</i>	X
195	<b>Australian Little Bittern</b> <i>Ixobrychus dubius</i>	X
196	<b>Black Bittern</b> <i>Ixobrychus flavicollis</i>	X
192	<b>Nankeen Night-Heron</b> <i>Nycticorax caledonicus</i>	X
193	<b>Striated Heron</b> <i>Butorides striata</i>	X
189	<b>White-necked Heron</b> <i>Ardea pacifica</i>	X
	<b>Great-billed Heron</b> <i>Ardea sumatrana</i>	Vagrant
187	<b>Eastern Great Egret</b> <i>Ardea modesta</i>	X
186	<b>Intermediate Egret</b> <i>Ardea intermedia</i>	X
190	<b>Pied Heron</b> <i>Egretta picata</i>	X
188	<b>White-faced Heron</b> <i>Egretta novaehollandiae</i>	X
185	<b>Little Egret</b> <i>Egretta garzetta</i>	X
191	<b>Eastern Reef Egret</b> <i>Egretta sacra</i>	X
977	<b>Cattle Egret</b> <i>Ardea ibis</i>	X
<b>Pelecanidae</b>		
106	<b>Australian Pelican</b> <i>Pelecanus conspicillatus</i>	X
<b>Accipitridae</b>		
241	<b>Eastern Osprey</b> <i>Pandion cristatus</i>	X
232	<b>Black-shouldered Kite</b> <i>Elanus axillaris</i>	X
233	<b>Letter-winged Kite</b> <i>Elanus scriptus</i>	X
230	<b>Square-tailed Kite</b> <i>Lophoictinia isura</i>	X
231	<b>Black-breasted Buzzard</b> <i>Hamirostra melanosternon</i>	X
234	<b>Pacific Baza</b> <i>Aviceda subcristata</i>	X
225	<b>Little Eagle</b> <i>Hieraetus morphnoides</i>	X
224	<b>Wedge-tailed Eagle</b> <i>Aquila audax</i>	X
223	<b>Red Goshawk</b> <i>Erythrotriorchis radiatus</i>	X
220	<b>Grey Goshawk</b> <i>Accipiter novaehollandiae</i>	X
221	<b>Brown Goshawk</b> <i>Accipiter fasciatus</i>	X
222	<b>Collared Sparrowhawk</b> <i>Accipiter cirrocephalus</i>	X

219	<b>Swamp Harrier</b> <i>Circus approximans</i>	X	
218	<b>Spotted Harrier</b> <i>Circus assimilis</i>	X	
229	<b>Black Kite</b> <i>Milvus migrans</i>	X	
228	<b>Whistling Kite</b> <i>Haliastur sphenurus</i>	X	
227	<b>Brahminy Kite</b> <i>Haliastur indus</i>	X	
226	<b>White-bellied Sea-Eagle</b> <i>Haliaeetus leucogaster</i>	X	
<b>Tytonidae</b>			
253	<b>Sooty Owl</b> <i>Tyto tenebricosa</i>	X	<i>T.t.tenebricosa</i> - <b>Greater Sooty Owl</b>
250	<b>Masked Owl</b> <i>Tyto novaehollandiae</i>	X	<i>T.n.novaehollandiae</i> - <b>Australian Masked Owl</b>
249	<b>Eastern Barn Owl</b> <i>Tyto javanica</i>	X	<b>aka</b> - <i>Tyto delicatula</i> or <i>T.j.delicatula</i>
252	<b>Eastern Grass Owl</b> <i>Tyto longimembris</i>	X	<i>T.l.longimembris</i>
<b>Strigidae</b>			
248	<b>Powerful Owl</b> <i>Ninox strenua</i>	X	
246	<b>Barking Owl</b> <i>Ninox connivens</i>	X	<i>N.c.connivens</i>
242	<b>Southern Boobook</b> <i>Ninox boobook</i>	X	<i>N.b.boobook</i> - <b>Australian Boobook</b>
9922a	<b>Lord Howe Morepork</b> <i>Ninox novaeseelandiae</i>	X	<i>N.n.albaria</i> . Note: <i>N.n.undulata</i> - Norfolk Is. #9922b
<b>Coraciidae</b>			
318	<b>Dollarbird</b> <i>Eurystomus orientalis</i>	X	<i>E.o.pacificus</i> - <b>Oriental Dollarbird</b>
<b>Halcyonidae</b>			
322	<b>Laughing Kookaburra</b> <i>Dacelo novaeguineae</i>	X	<i>D.n.novaeguineae</i>
324	<b>Forest Kingfisher</b> <i>Todiramphus macleayii</i>	X	<i>T.m.incinctus</i>
327	<b>Collared Kingfisher</b> <i>Todiramphus sordidus</i>	X	<i>T.s.colcloughi</i> - IOC = <b>Torressian Kingfisher</b> <b>aka</b> - <i>T.chlori</i>
326	<b>Sacred Kingfisher</b> <i>Todiramphus sanctus</i>	X	<i>T.s.sanctus</i> ; <i>T.s.vagrans</i> - LHI; <i>T.s.norfolkensis</i> - Norfolk Is.
325	<b>Red-backed Kingfisher</b> <i>Todiramphus pyrrhopygius</i>	X	
<b>Alcedinidae</b>			
319	<b>Azure Kingfisher</b> <i>Ceyx azureus</i>	X	<i>C.a.azureus</i>
<b>Meropidae</b>			
329	<b>Rainbow Bee-eater</b> <i>Merops ornatus</i>	X	
<b>Falconidae</b>			
240	<b>Nankeen Kestrel</b> <i>Falco cenchroides</i>	X	<i>F.c.cenchroides</i> - also Norfold Is.
235	<b>Australian Hobby</b> <i>Falco longipennis</i>	X	<i>F.l.longipennis</i>
239	<b>Brown Falcon</b> <i>Falco berigora</i>	X	<i>F.b.berigora</i>
236	<b>Grey Falcon</b> <i>Falco hypoleucus</i>	X	
238	<b>Black Falcon</b> <i>Falco subniger</i>	X	
237	<b>Peregrine Falcon</b> <i>Falco peregrinus</i>	X	<i>F.p.macropus</i> ; also <i>F.p.calidus</i> as a Vagrant (NSWORAC Case 619)
<b>Cacatuidae</b>			
274	<b>Cockatiel</b> <i>Nymphicus hollandicus</i>	X	
264	<b>Red-tailed Black-Cockatoo</b> <i>Calyptorhynchus banksii</i>	X	<i>C.b.banksii</i> - NE NSW (maybe extinct); <i>C.b.samueli</i> - riverine inland NSW
265	<b>Glossy Black-Cockatoo</b> <i>Calyptorhynchus lathami</i>	X	<i>C.l.lathami</i>
267	<b>Yellow-tailed Black-Cockatoo</b> <i>Calyptorhynchus funereus</i>	X	<i>C.f.funereus</i> - <b>aka</b> <i>Zanda funereus funereus</i>
268	<b>Gang-gang Cockatoo</b> <i>Callocephalon fimbriatum</i>	X	
273	<b>Galah</b> <i>Eolophus roseicapilla</i>	X	<i>E.r.albiceps</i>
270	<b>Major Mitchell's Cockatoo</b> <i>Lophochroa leadbeateri</i>	X	<i>L.l.leadbeateri</i>
272	<b>Long-billed Corella</b> <i>Cacatua tenuirostris</i>	X	
271	<b>Little Corella</b> <i>Cacatua sanguinea</i>	X	<i>C.s.gymnopis</i>
264	<b>Sulphur-crested Cockatoo</b> <i>Cacatua galerita</i>	X	<i>C.g.galerita</i>
<b>Psittacidae</b>			
277	<b>Superb Parrot</b> <i>Polytelis swainsonii</i>	X	
278	<b>Regent Parrot</b> <i>Polytelis anthopeplus</i>	X	<i>P.a.monarchoides</i>
281	<b>Australian King-Parrot</b> <i>Alisterus scapularis</i>	X	<i>A.s.scapularis</i>
280	<b>Red-winged Parrot</b> <i>Aprosmictus erythropterus</i>	X	<i>A.e.erythropterus</i>
298	<b>Red-rumped Parrot</b> <i>Psephotus haematonotus</i>	X	<i>P.h.haematonotus</i> - <i>P.h.caeruleus</i>
297	<b>Blue Bonnet</b> <i>Northiella haematogaster</i>	X	<b>Eastern Bluebonnet</b>
297a	<b>Blue Bonnet</b> <i>N.h. haematogaster</i>		Yellow-vented form
297b	<b>Blue Bonnet</b> <i>N.h. haematorrhoea</i>		Red-vented form
296	<b>Mulga Parrot</b> <i>Psephotus varius</i>	X	
	<b>Crimson Rosella</b> <i>Platycercus elegans</i>	X	
	<b>288 Crimson Rosella</b> <i>P.e.elegans</i>	X	
	<b>284 Yellow Rosella</b> <i>P.e.flaviventer</i>	X	
286	<b>Pale-headed Rosella</b> <i>Platycercus adscitus</i>	X	<i>P.a.pallidiceps</i>
288	<b>Eastern Rosella</b> <i>Platycercus eximius</i>	X	<i>P.e.eximus</i> - <i>P.e.elegans</i> - NE NSW

294	<b>Australian Ringneck</b> <i>Barnardius zonarius</i>	X	
294a	<b>Port Lincoln Parrot</b> <i>B.z. zonarius</i>	X	NSW birds originate from/or are ex-avairy birds
294b	<b>Twenty-eight Parrot</b> <i>B.z. semitorquatus</i>	X	NSW birds originate from/or are ex-avairy birds
294c	<b>Mallee Ringneck</b> <i>B.z. barnardi</i>	X	
309	<b>Swift Parrot</b> <i>Lathamus discolor</i>	X	
311	<b>Ground Parrot</b> <i>Pezoporus wallicus</i>	X	<i>P.w. wallicus</i> - Eastern Ground Parrot
304	<b>Bourke's Parrot</b> <i>Neopsephotus bourkii</i>	X	
306	<b>Blue-winged Parrot</b> <i>Neophema chrysostoma</i>	X	
305	<b>Orange-bellied Parrot</b> <i>Neophema chrysogaster</i>	X	
302	<b>Turquoise Parrot</b> <i>Neophema pulchella</i>	X	
303	<b>Scarlet-chested Parrot</b> <i>Neophema splendida</i>	X	
260	<b>Little Lorikeet</b> <i>Glossopsitta pusilla</i>	X	
259	<b>Purple-crowned Lorikeet</b> <i>Glossopsitta porphyrocephala</i>	X	<i>Parvipsitta pusilla</i>
254	<b>Rainbow Lorikeet</b> <i>Trichoglossus haematodus</i>	X	<i>Parvipsitta porphyrocephala</i>
256	<b>Scaly-breasted Lorikeet</b> <i>Trichoglossus chlorolepidotus</i>	X	<i>Trichoglossus moluccanus moluccanus</i>
258	<b>Musk Lorikeet</b> <i>Glossopsitta concinna</i>	X	
310	<b>Budgerigar</b> <i>Melopsittacus undulatus</i>	X	
261	<b>Double-eyed Fig-Parrot</b> <i>Cyclopsitta diophthalma</i>	X	<i>G.c.concinna</i>
	<b>Pittidae</b>		
352	<b>Noisy Pitta</b> <i>Pitta versicolor</i>	X	<i>C.d.coxeni</i>
	<b>Menuridae</b>		
351	<b>Albert's Lyrebird</b> <i>Menura alberti</i>	X	
350	<b>Superb Lyrebird</b> <i>Menura novaehollandiae</i>	X	<i>M.n.edwardi</i> - NE NSW; <i>M.n.movaehollandiae</i> - CE & SE NSW; <i>M.n.victoriae</i> - SM & M
	<b>Atrichornithidae</b>		
355	<b>Rufous Scrub-bird</b> <i>Atrichornis rufescens</i>	X	<i>A.r.rufescens</i> - NE NSW; <i>A.r.ferrieri</i> - NC NSW
	<b>Ptilonorhynchidae</b>		
676	<b>Green Catbird</b> <i>Ailuroedus crassirostris</i>	X	
680	<b>Regent Bowerbird</b> <i>Sericulus chrysocephalus</i>	X	
679	<b>Satin Bowerbird</b> <i>Ptilonorhynchus violaceus</i>	X	
680	<b>Spotted Bowerbird</b> <i>Ptilonorhynchus maculatus</i>	X	
683	<b>Great Bowerbird</b> <i>Ptilonorhynchus nuchalis</i>	Vagrant	<i>P.violaceus</i>
	<b>Climacteridae</b>		
558	<b>White-throated Treecreeper</b> <i>Cormobates leucophaeus</i>	X	<i>C. l. metastasis</i> - N NSW; <i>C. l. leucophaea</i> - S NSW
560	<b>Red-browed Treecreeper</b> <i>Climacteris erythrops</i>	X	
561	<b>White-browed Treecreeper</b> <i>Climacteris affinis</i>	X	<i>C.a.affinis</i>
555	<b>Brown Treecreeper</b> <i>Climacteris picumnus</i>	X	
555a	<b>Brown Treecreeper</b> <i>Climacteris p. picumnus</i>		Inland NSW
555b	<b>Brown Treecreeper</b> <i>Climacteris p. victoriae</i>		EC NSW
	<b>Maluridae</b>		
536	<b>Variegated Fairy-wren</b> <i>Malurus lamberti</i>	X	
536a	<b>Variegated Fairy-wren</b> <i>M.l. lamberti</i>		EC NSW
536b	<b>Purple-backed Fairy-wren</b> <i>M.l.assimilis</i>		Inland NSW
529	<b>Superb Fairy-wren</b> <i>Malurus cyaneus</i>	X	
532	<b>Splendid Fairy-wren</b> <i>Malurus splendens</i>	X	
541	<b>Red-backed Fairy-wren</b> <i>Malurus melanocephalus</i>	X	
534	<b>White-winged Fairy-wren</b> <i>Malurus leucopterus</i>	X	
526	<b>Southern Emu-wren</b> <i>Stipiturus malachurus</i>	X	
871	<b>Grey Grasswren</b> <i>Amytornis barbatus</i>	X	
513	<b>Striated Grasswren</b> <i>Amytornis striatus</i>	X	
515	<b>Eyrean Grasswren</b> <i>Amytornis goyteri</i>	X	
512	<b>Thick-billed Grasswren</b> <i>Amytornis modestus</i>	X	Change species no. in Supplementary Section, page 649, from 654 to '515 <i>A.m.inexpectatus</i> - C NSW ; <i>A.m.obscuri</i> - NW NSW
	<b>Meliphagidae</b>		
591	<b>Eastern Spinebill</b> <i>Acanthorhynchus tenuirostris</i>	X	<i>A.t.tenuirostris</i> - NC, C&SC, NTE, T, WS
452	<b>Gibberbird</b> <i>Ashbyia lovensis</i>	X	A
449	<b>Crimson Chat</b> <i>Epthianura tricolor</i>	X	A, M&AW, CP, WS
450	<b>Orange Chat</b> <i>Epthianura aurifrons</i>	X	A, M&AW, CP
448	<b>White-fronted Chat</b> <i>Epthianura albifrons</i>	X	A, M&AW, CP, RP, C&SC
593	<b>Tawny-crowned Honeyeater</b> <i>Glyciphila melanops</i>	X	NC, C&SC
602	<b>Pied Honeyeater</b> <i>Certhionyx variegatus</i>	X	A, M&AW
589	<b>Black Honeyeater</b> <i>Sugomel niger</i>	X	A, M&AW, CP, RP, WS
590	<b>Dusky Honeyeater</b> <i>Myzomela obscura</i>	X	<i>M.o.obscura</i> ; IOC = <b>Dusky Myzomela</b>
586	<b>Scarlet Honeyeater</b> <i>Myzomela sanguinolenta</i>	X	<b>IOC = Scarlet Myzomela</b> ; NTE, NC, C&SC, T, WS
646	<b>Little Friarbird</b> <i>Philemon citreogularis</i>	X	<i>P.c.citreogularis</i>
645	<b>Noisy Friarbird</b> <i>Philemon corniculatus</i>	X	<i>P.c.monarchus</i>

585	<b>Striped Honeyeater</b> <i>Plectorhyncha lanceolata</i>	X	
598	<b>Painted Honeyeater</b> <i>Grantiella picta</i>	X	
630	<b>Crescent Honeyeater</b> <i>Phylidonyris pyrrhopterus</i>	X	<i>P.p.pyrrhopterus</i> - Barrington Tops to C&SC, southern T <i>P.n.novaehollandiae</i> - NTE, NC, C&SC, T, WS
631	<b>New Holland Honeyeater</b> <i>Phylidonyris novaehollandiae</i>	X	<i>P.niger</i> - NTE, NC, C&SC, T
632	<b>White-cheeked Honeyeater</b> <i>Phylidonyris niger</i>	X	NTE, NC, C&SC, T, WS, RP, CP
597	<b>Brown Honeyeater</b> <i>Lichmera indistincta</i>	X	<i>Cissomela pectoralis</i>
588	<b>Banded Honeyeater</b> <i>Cissomela pectorali</i>	Vagrant	<i>N.l.leucotis</i> - E NSW; <i>N.l.novaenorciae</i> - Inland S NSW
617	<b>White-eared Honeyeater</b> <i>Nesoptilotis leucotis</i>		<i>E.c.cyanotis</i>
641	<b>Blue-faced Honeyeater</b> <i>Entomyzon cyanotis</i>	X	<i>M.g.gularis</i> - NTE, NC, C&SC, T, CP, RP
580	<b>Black-chinned Honeyeater</b> <i>Melithreptus gularis</i>	X	<i>M.b.brevirostris</i> = South-eastern form; <i>M.b.pallidiceps</i> = Northern form.
583	<b>Brown-headed Honeyeater</b> <i>Melithreptus brevirostris</i>	X	NTE, NC, C&SC, T, WS, RP, CP, M&AW <i>M.a.inopinatus</i> - NTE, NC
579	<b>White-throated Honeyeater</b> <i>Melithreptus albogularis</i>	X	T, NTE, C&SC, NC, WS, occas. CP, RP
575	<b>White-naped Honeyeater</b> <i>Melithreptus lunatus</i>	X	<i>M.l.lewinii</i> - NC, C&SC to WS
605	<b>Lewin's Honeyeater</b> <i>Meliphaga lewinii</i>	X	A, M&AW, CP
594	<b>White-fronted Honeyeater</b> <i>Purnella albifrons</i>	X	<i>L.m.melanops</i> - NC, C&SC, NTE; <i>L.m.meltoni</i> - T, WS;
619	<b>Yellow-tufted Honeyeater</b> <i>Lichenostomus melanops</i>	X	<i>L.m.melanops</i> integrates with <i>L.m.gippslandica</i> on SC <i>L.c occidentalis</i>
620	<b>Purple-gaped Honeyeater</b> <i>Lichenostomus cratitius</i>	Vagrant	NC
610	<b>Mangrove Honeyeater</b> <i>Gavicalis fasciogularis</i>	X	<i>G.v.sonorus</i> - Inland NSW
608	<b>Singing Honeyeater</b> <i>Gavicalis virescens</i>	X	<i>P.f.fusca</i> - NC, NTE, C&SC, T, WS, RP
613	<b>Fuscous Honeyeater</b> <i>Ptilotula fusca</i>	X	<i>P.p.grainieri</i> - CP, M&AW, A, RP
623	<b>Grey-fronted Honeyeater</b> <i>Ptilotula plumula</i>	X	CP, M&AW
622	<b>Yellow-plumed Honeyeater</b> <i>Ptilotula ornata</i>	X	<i>P.p.penicillata</i> - NSW, though uncommon on NC, C&SC.
625	<b>White-plumed Honeyeater</b> <i>Ptilotula penicillata</i>	X	Integrades with <i>P.p.leilavalensis</i> in NW NSW <i>C.c.chrysops</i> - NC, C&SC, T, WS
614	<b>Yellow-faced Honeyeater</b> <i>Caligavis chrysops</i>	X	<i>A.c.chrysoptera</i> - NTE, NC, C&SC, T
637	<b>Little Wattlebird</b> <i>Anthochaera chrysoptera</i>	X	<i>A.c.carunculata</i> - NTE, NC, C&SC, T, WS, RP
638	<b>Red Wattlebird</b> <i>Anthochaera carunculata</i>	X	NTE, NC, C&SC, T, WS
633	<b>Regent Honeyeater</b> <i>Anthochaera phrygia</i>	X	A, M&AW, CP, RP, WS
640	<b>Spiny-cheeked Honeyeater</b> <i>Acanthagenys rufogularis</i>	X	NTE, NC, C&SC
633	<b>Bell Miner</b> <i>Manorina melanophrys</i>	X	<i>M.n.melanocephala</i> - NTE, NC, C&SC, T, WS, RP
634	<b>Noisy Miner</b> <i>Manorina melanocephala</i>	X	<i>M.f.flavigula</i> - A, M&AW, CP, RP, WS
635	<b>Yellow-throated Miner</b> <i>Manorina flavigula</i>	X	M&AW
967	<b>Black-eared Miner</b> <i>Manorina melanotis</i>	X	
	<b>Dasyornithidae</b>		
519	<b>Eastern Bristlebird</b> <i>Dasyornis brachypterus</i>	X	<i>D.b.monoides</i> - NE NSW; <i>D.b.brachypterus</i> - SE NSW
	<b>Pardalotidae</b>		
565	<b>Spotted Pardalote</b> <i>Pardalotus punctatus</i>	X	Rare in A.
565a	<b>Spotted Pardalote</b> <i>P. p. punctatus</i>		
565b	<b>Yellow-rumped Pardalote</b> <i>P.p. xanthopyge</i>		Mallee form
570	<b>Red-browed Pardalote</b> <i>Pardalotus rubricatus</i>	X	Mainly A, occas. CP and MAW
976	<b>Striated Pardalote</b> <i>Pardalotus striatus</i>	X	
976a	<b>Yellow-tipped Pardalote</b> <i>P.s. striatus</i>		SE NSW
976b	<b>Eastern Striated Pardalote</b> <i>P.s. ornatus</i>		EC NSW
976c	<b>Striated Pardalote</b> <i>P.s. substriatus</i>		Inland NSW
976d	<b>Black-headed Pardalote</b> <i>P.s. melanocephalus</i>		NE NSW
	<b>Acanthizidae</b>		
465	<b>Weebill</b> <i>Smicromis brevirostris</i>	X	<i>S.b.brevirostris</i> ; integrates with <i>S.b.flavicens</i> and/or <i>S.b.occidentalis</i> in W NSW
500	<b>Striated Fieldwren</b> <i>Calamanthus fuliginosus</i>	X	<i>Cf.albiloris</i> ; <b>Eastern Striated Fieldwren</b>
502	<b>Rufous Fieldwren</b> <i>Calamanthus campestris</i>	X	<i>C.c.isabellinus</i>
498	<b>Chestnut-rumped Heathwren</b> <i>Hylacola pyrrhopygia</i>	X	<i>H.p.pyrrhopygia</i>
499	<b>Shy Heathwren</b> <i>Hylacola cauta</i>	X	<i>H.c.magnorhyncha</i> - Inland NSW; <i>H.c.caute</i> - SW NSW
506	<b>Pilotbird</b> <i>Pycnoptilus floccosus</i>	X	<i>P.f.sandlandi</i> - Central & SC NSW; <i>P.f.floccosus</i> - Snowy Mts
497	<b>Redthroat</b> <i>Pyrrholaemus brunneus</i>	X	
504	<b>Speckled Warbler</b> <i>Chthonicola sagittata</i>	X	
505	<b>Rockwarbler</b> <i>Origma solitaria</i>	X	Hawkesbury Sandstone
493	<b>Yellow-throated Scrubwren</b> <i>Neosericornis citreogularis</i>	X	<i>N.c.intermedius</i> - NE NSW; <i>N.c.citreogularis</i> - N & C NSW
494	<b>Large-billed Scrubwren</b> <i>Sericornis magnirostra</i>	X	<i>S.magnirostra</i>
488	<b>White-browed Scrubwren</b> <i>Sericornis frontalis</i>	X	<i>S.f.tweedi</i> - NE NSW; <i>S.f.frontalis</i> - Central & SC NSW; integrate zones exist betw. <i>S.f.laevigaster</i> x <i>tweedi</i> and <i>tweedi</i> x <i>frontalis</i>
454	<b>Brown Gerygone</b> <i>Gerygone mouki</i>	X	<i>G.m.richmondi</i>
460	<b>Mangrove Gerygone</b> <i>Gerygone levigaster</i>	X	<i>G.l.cantator</i>
463	<b>Western Gerygone</b> <i>Gerygone fusca</i>	X	<i>G.f.exsul</i> ; <b>Eastern Woodlands Western Gerygone</b>

453	<b>White-throated Gerygone</b> <i>Gerygone olivaceus</i>	X	<i>G.o.olivaceus</i>
475	<b>Brown Thornbill</b> <i>Acanthiza pusilla</i>	X	<i>A.p.pusilla</i> ; integrates with <i>A.p.dawsonensis</i> in NE NSW
476	<b>Inland Thornbill</b> <i>Acanthiza apicalis</i>	X	<i>A.a.albiventris</i>
481	<b>Chestnut-rumped Thornbill</b> <i>Acanthiza uropygialis</i>	X	
484	<b>Buff-rumped Thornbill</b> <i>Acanthiza reguloides</i>	X	<i>A.r.reguloides</i> ; integrates with <i>A.r.nesa</i> in NE NSW
486	<b>Yellow-rumped Thornbill</b> <i>Acanthiza chrysorrhoa</i>	X	<i>A.c.leighi</i> ; integrates with <i>A.c.normantoni</i> in N NSW
471	<b>Yellow Thornbill</b> <i>Acanthiza nana</i>	X	<i>A.n.modesta</i> - Inland NSW; <i>A.n.nana</i> - E NSW; ; integrates occur on western slopes <i>A.l.alberti</i> - NE NSW; <i>A.l.lineata</i> - E NSW; integrates occur in NE NSW <i>A.l.leucopsis</i>
470	<b>Striated Thornbill</b> <i>Acanthiza lineata</i>	X	
466	<b>Southern Whiteface</b> <i>Aphelocephala leucopsis</i>	X	
469	<b>Banded Whiteface</b> <i>Aphelocephala nigricincta</i>	X	
<b>Pomatostomidae</b>			
443	<b>Grey-crowned Babbler</b> <i>Pomatostomus temporalis</i>	X	<i>P.t.temporalis</i>
938	<b>Hall's Babbler</b> <i>Pomatostomus halli</i>	X	
445	<b>White-browed Babbler</b> <i>Pomatostomus superciliosus</i>	X	<i>P.s.gilgandra</i>
446	<b>Chestnut-crowned Babbler</b> <i>Pomatostomus ruficeps</i>	X	
<b>Orthonychidae</b>			
434	<b>Australian Logrunner</b> <i>Orthonyx temminckii</i>	X	
<b>Psophodidae</b>			
421	<b>Eastern Whipbird</b> <i>Psophodes olivaceus</i>	X	<i>P.o.olivaceus</i>
866	<b>Chirruping Wedgebill</b> <i>Psophodes cristatus</i>	X	
<b>Cinclosomatidae</b>			
436	<b>Spotted Quail-thrush</b> <i>Cinclosoma punctatum</i>	X	<i>C.p.punctatum</i>
437	<b>Chestnut Quail-thrush</b> <i>Cinclosoma castanotum</i>	X	
439	<b>Cinnamon Quail-thrush</b> <i>Cinclosoma cinnamomeum</i>	X	<i>C.c.cinnamoneum</i>
438	<b>Chestnut-breasted Quail-thrush</b> <i>Cinclosoma castaneothorax</i>	X	
<b>Artamidae</b>			
543	<b>White-breasted Woodswallow</b> <i>Artamus leucorynchus</i>	X	<i>A.l.leucopygialis</i>
544	<b>Masked Woodswallow</b> <i>Artamus personatus</i>	X	
545	<b>White-browed Woodswallow</b> <i>Artamus superciliosus</i>	X	
546	<b>Black-faced Woodswallow</b> <i>Artamus cinereus</i>	X	
	546a <b>Black-faced Woodswallow</b> <i>A.c. melanops</i>		
	546b <b>Black-faced Woodswallow hybrid</b>		
	<i>A.c. melanops x A.c.albiventris</i>		
547	<b>Dusky Woodswallow</b> <i>Artamus cyanopterus</i>	X	<i>A.c.cyanopterus</i>
548	<b>Little Woodswallow</b> <i>Artamus minor</i>	X	<i>A.m.derbyi</i> ; <i>A.c.minor</i>
705	<b>Australian Magpie</b> <i>Gymnorhina tibicen</i>	X	<i>G.t.tibicen</i> - E NSW; <i>G.t.terrareginae</i> - Inland NSW; <i>G.t.tyrannica</i> - SE NSW
	705a <b>Black-backed Magpie</b> <i>G.t. tibicen</i>		
	705f <b>White-backed Magpie</b> <i>G.t. leuconota</i>		
702	<b>Grey Butcherbird</b> <i>Cracticus torquatus</i>	X	<i>C.t.torquatus</i> = <b>South-eastern form</b> ; <i>C.t.leucopterus</i> = <b>Inland form</b>
700	<b>Pied Butcherbird</b> <i>Cracticus nigrogularis</i>	X	<i>C.n.nigrogularis</i>
694	<b>Pied Currawong</b> <i>Strepera graculina</i>	X	<i>S.g.nebuosa</i> = <b>South-eastern Pied Currawong</b>
	694a <b>Pied Currawong</b> <i>S.g. graculina</i>		<i>Eastern Pied Currawong</i>
	694b <b>Lord Howe Pied Currawong</b> <i>Strepera crissalis</i>		<i>S.g.crissalis</i>
697	<b>Grey Currawong</b> <i>Strepera versicolor</i>	X	
	697a <b>Grey Currawong</b> <i>S.v. versicolor</i>		
	697b <b>Black-winged Currawong</b> <i>S.v. melanoptera</i>		
<b>Campephagidae</b>			
423	<b>Ground Cuckoo-shrike</b> <i>Coracina maxima</i>	X	
428	<b>Barred Cuckoo-shrike</b> <i>Coracina lineata</i>	X	<i>C.l.lineata</i>
424	<b>Black-faced Cuckoo-shrike</b> <i>Coracina novaehollandiae</i>	X	<i>C.n.melanops</i>
425	<b>White-bellied Cuckoo-shrike</b> <i>Coracina papuensis</i>	X	<i>C.p.oromio</i> ; <i>C.p.artmoides</i> ; <i>C.p.robusta</i>
429	<b>Cicadabird</b> <i>Edolisoma tenuirostre</i>	X	<i>E.t.tenuirostre</i> - <b>IOC = Common Cicadabird</b> ; formerly <i>Coracina tenuirostris</i>
430	<b>White-winged Triller</b> <i>Lalage tricolor</i>	X	formerly <i>Lalage sueurii</i>
431	<b>Varied Triller</b> <i>Lalage leucomela</i>	X	<i>L.l.leucomela</i>
<b>Neosittidae</b>			
549	<b>Varied Sittella</b> <i>Daphoenositta chrysopetra</i>	X	
	549a <b>Orange-winged Sittella</b> <i>D.c. chrysopetra</i>		<b>Orange-winged Sittella</b>
	549b <b>White-headed Sittella</b> <i>D.c. leucocephala</i>		<b>White-headed Sittella</b>
	549c <b>Black-capped Sittella</b> <i>D.c. pileata</i>		<b>Black-capped Sittella</b>
<b>Oreoicidae</b>			
419	<b>Crested Bellbird</b> <i>Oreocica gutturalis</i>	X	<i>O.g.gutturalis</i>
<b>Falcunculidae</b>			
416	<b>Crested Shrike-tit</b> <i>Falcunculus frontatus</i>	X	

## Pachycephalidae

405	Olive Whistler	<i>Pachycephala olivacea</i>	X	<i>P.o.macphersoniana; P.o.olivacea</i>
402	Red-lored Whistler	<i>Pachycephala rufogularis</i>	X	
403	Gilbert's Whistler	<i>Pachycephala inornata</i>	X	
398	Golden Whistler	<i>Pachycephala pectoralis</i>	X	<b>Australian Golden Whistler</b>
	398d	Golden Whistler	<i>P.p. pectoralis</i>	<i>P.p.pectoralis; Eastern Golden Whistler</i>
	398g	Golden Whistler	<i>P.p. youngi</i>	<i>South-eastern Golden Whistler</i>

398a	Lord Howe Golden Whistler	<i>Pachycephala contempta</i>	X	<i>P.p.contempta</i>
398e	Western Whistler	<i>Pachycephala fuliginosa</i>	X	<i>P.p.fuliginosa</i>

401	Rufous Whistler	<i>Pachycephala rufiventris</i>	X	<i>P.r.rufiventris</i>
413	Little Shrike-thrush	<i>Colluricincla rufogaster</i>	X	<b>IOC = Rufous Shrikethrush</b>

408	Grey Shrike-thrush	<i>Colluricincla harmonica</i>	X	<i>C.h.harmonica; IOC = Grey Shrikethrush</i>
-----	--------------------	--------------------------------	---	---

## Oriolidae

432	Australasian Figbird	<i>Sphecotheres vieilloti</i>	X	<i>S.p.vieilloti</i>
671	Olive-backed Oriole	<i>Oriolus sagittatus</i>	X	<i>O.s.sagittatus</i>

## Dicruridae

673	Spangled Drongo	<i>Dicrurus bracteatus</i>	X	<i>D.c.bracteatus</i>
-----	-----------------	----------------------------	---	-----------------------

## Rhipiduridae

364	Willie Wagtail	<i>Rhipidura leucophrys</i>	X	
361	Grey Fantail	<i>Rhipidura albiscapa</i>	X	<i>R.a.albiscapa</i>
719	Lord Howe Fantail	<i>Rhipidura fuliginosa cervina</i>	X	<b>IOC = New Zealand Fantail</b>
362	Rufous Fantail	<i>Rhipidura rufifrons</i>	X	<i>R.r.intermedia</i>

## Monarchidae

375	Spectacled Monarch	<i>Sympisarchus trivirgatus</i>	X	<i>S.t.albiventris</i>
373	Black-faced Monarch	<i>Monarcha melanopsis</i>	X	
376	White-eared Monarch	<i>Cartornornis leucotis</i>	X	
415	Magpie-lark	<i>Grallina cyanoleuca</i>	X	<i>G.c.cyanoleuca</i>
365	Leaden Flycatcher	<i>Myiagra rubecula</i>	X	<i>M.r.yorki</i> = <b>Eastern</b> form; <i>M.r.rubecula</i> = <b>South-eastern</b> form
366	Satin Flycatcher	<i>Myiagra cyanoleuca</i>	X	
372	Shining Flycatcher	<i>Myiagra alecto</i>	X	<i>M.a.wardelli</i> = <b>Eastern Shining Flycatcher</b>
369	Restless Flycatcher	<i>Myiagra inquieta</i>	X	

## Corvidae

867	House Crow	<i>Corvus splendens</i>	Vagrant	<b>ssp.?</b>
692	Torresian Crow	<i>Corvus orru</i>	X	<i>C.o.cecilae</i>
691	Little Crow	<i>Corvus bennetti</i>	X	
868	Forest Raven	<i>Corvus tasmanicus</i>	X	<i>C.t.boreus</i>
954	Little Raven	<i>Corvus mellori</i>	X	
930	Australian Raven	<i>Corvus coronoides</i>	X	<i>C.c.coronoides</i>

## Corcoracidae

693	White-winged Chough	<i>Corcorax melanorhamphos</i>	X	<i>C.m.melanorhampos</i>
675	Apostlebird	<i>Struthidea cinerea</i>	X	<i>S.c.cinerea</i>

## Paradisaeidae

686	Paradise Riflebird	<i>Ptiloris paradiseus</i>	X	
-----	--------------------	----------------------------	---	--

## Petroicidae

396	Pale-yellow Robin	<i>Tregellasia capito</i>	X	
392	Eastern Yellow Robin	<i>Eopsaltria australis</i>	X	<i>E.a.australis</i>
385	Hooded Robin	<i>Melanodryas cucullata</i>	X	<i>M.c.picata</i>
441	Southern Scrub-Robin	<i>Drymodes brunneopygia</i>	X	
377	Jacky Winter	<i>Microeca fascinans</i>	X	
	377a	Jacky Winter	<i>M.f. fascinans</i>	
	377b	Jacky Winter	<i>M.f. assimilis</i>	
384	Rose Robin	<i>Petroica rosea</i>	X	
383	Pink Robin	<i>Petroica rodinogaster</i>	X	<i>P.r.inexpectata</i>
382	Flame Robin	<i>Petroica phoenicea</i>	X	
380	Scarlet Robin	<i>Petroica boodang</i>	X	<i>P.b.boodang</i>
381	Red-capped Robin	<i>Petroica goodenovii</i>	X	

## Alaudidae

648	Horsfield's Bushlark	<i>Mirafra javanica</i>	X	<b>IOC = Horsfield's Bush Lark</b>
-----	----------------------	-------------------------	---	------------------------------------

993	Eurasian Skylark	<i>Alauda arvensis</i>	X	<i>M.j.horsfieldii</i> = Eastern form; NW hybrid zone with <i>M.j.secunda</i> <b>INTRODUCED</b> European Eurasian Skylark, <i>A. a. arvensis</i>
-----	------------------	------------------------	---	---

## Pycnonotidae

990	Red-whiskered Bulbul	<i>Pycnonotus jocosus</i>	X	<b>INTRODUCED</b> Chinese Red-whiskered Bulbul, <i>P. j. jocosus</i>
-----	----------------------	---------------------------	---	---

## Hirundinidae

358	White-backed Swallow	<i>Cheramoeca leucosterna</i>	X	
879	Barn Swallow	<i>Hirundo rustica</i>	Vagrant	<i>Eastern Barn Swallow, H.r. gutteralis</i>
357	Welcome Swallow	<i>Hirundo neoxena</i>	X	<i>H.n.neoxena</i>
360	Fairy Martin	<i>Petrochelidon ariel</i>	X	
359	Tree Martin	<i>Petrochelidon nigricans</i>	X	<i>P.n.neglecta</i>

## Acrocephalidae

872	Oriental Reed-Warbler	<i>Acrocephalus orientalis</i>	Vagrant	<b>IOC = Oriental Reed Warbler</b>
524	Australian Reed-Warbler	<i>Acrocephalus australis</i>	X	<i>A.a.australia; IOC = Australian Reed Warbler</i>

## Locustellidae

522	Little Grassbird	<i>Poodytes gramineus</i>	X	<i>P.g.goulburni; was Megalurus gramineus</i>
507	Spinifexbird	<i>Poodytes carteri</i>	Vagrant	
508	Brown Songlark	<i>Cincloramphus cruralis</i>	X	
509	Rufous Songlark	<i>Cincloramphus mathewsi</i>	X	
523	Tawny Grassbird	<i>Cincloramphus timoriensis</i>	X	<i>C.t.alisteri; was Megalurus timoriensis</i>

## Cisticolidae

525	Golden-headed Cisticola	<i>Cisticola exilis</i>	X	<i>C.e.exilis</i>
-----	-------------------------	-------------------------	---	-------------------

## Zosteropidae

574	Silvereye	<i>Zosterops lateralis</i>	X	
	574b	Silvereye	<i>Z.l. cornwallis</i>	<b>Eastern Silvereye</b>
	574d	Silvereye	<i>Z.l. tephroleurus</i>	<b>Lord Howe Silvereye</b>
	574d	Silvereye	<i>Z.l.westernensis</i>	<b>South-eastern Silvereye</b>
576	Yellow White-eye	<i>Zosterops luteus</i>	Vagrant	<i>Z.l.luteus; IOC = Canary White-eye</i>

## Sturnidae

674	Metallic Starling	<i>Aplornis metallica</i>	Vagrant	<i>A.m.metallica</i>
998	Common Myna	<i>Sturnus tristis</i>	X	<b>INTRODUCED ssp.?</b>
9953	Rosy Starling	<i>Sturnus roseus</i>	Vagrant	
999	Common Starling	<i>Sturnus vulgaris</i>	X	<b>INTRODUCED ssp.?</b>

## Turnidae

780	Russet-tailed Thrush	<i>Zoothera heinei</i>	X	<i>Z.h.heimei</i>
779	Bassian Thrush	<i>Zoothera lunulata</i>	X	<i>Z.l.lunulata</i>
991	Common Blackbird	<i>Turdus merula</i>	X	<b>INTRODUCED ssp.?</b>
992	Song Thrush	<i>Turdus philomelos</i>	Vagrant	<b>INTRODUCED</b> <i>T.p. clarkei European Song Thrush</i>

## Dicaeidae

564	Mistletoebird	<i>Dicaeum hirundinaceum</i>	X	<i>D.h.hirundinaceum</i>
-----	---------------	------------------------------	---	--------------------------

## Nectariniidae

572	Yellow-bellied Sunbird	<i>Cinnyris jugularis</i>	Vagrant	<i>C. j. frenata - Australian Olive-backed Sunbird</i> was <i>Nectarinia jugularis</i> ; <b>IOC = Olive-backed Sunbird</b>
-----	------------------------	---------------------------	---------	--

## Passeridae

995	House Sparrow	<i>Passer domesticus</i>	X	<b>INTRODUCED</b>
994	Eurasian Tree Sparrow	<i>Passer montanus</i>	X	<b>European House Sparrow, P.d.domesticus</b> <b>INTRODUCED ssp.?</b>

## Estrildidae

652	Diamond Firetail	<i>Stagonopleura guttata</i>	X	
650	Beautiful Firetail	<i>Stagonopleura bella</i>	X	<i>S.b.bella; S.b.interposita</i>
662	Red-browed Finch	<i>Neochmia temporalis</i>	X	<i>N.t.temporalis</i>
654	Painted Finch	<i>Emblema pictum</i>	X	
661	Plum-headed Finch	<i>Neochmia modesta</i>	X	
655	Double-barred Finch	<i>Taeniopygia bichenovii</i>	X	<i>T.b.bichenovii</i>
653	Zebra Finch	<i>Taeniopygia guttata</i>	X	<i>T.g.castanotis</i>
667	Black-throated Finch	<i>Poephila cincta</i>	X	<i>P.c.cincta</i>
983	Nutmeg Mannikin	<i>Lonchura punctulata</i>	X	<b>IOC = Scaly-breasted Munia</b> <b>INTRODUCED</b> <i>ssp.?</i>
657	Chestnut-breasted Mannikin	<i>Lonchura castaneothorax</i>	X	<i>L.c.castaneothorax</i>

## Motacillidae

877	Eastern Yellow Wagtail	<i>Motacilla tschutschensis</i>	X	
	877a	Eastern Yellow Wagtail	<i>Motacilla t. tschutschensis</i>	
	877b	Green-headed Yellow-Wagtail	<i>Motacilla t. taivana</i>	
876	Citrine Wagtail	<i>Motacilla citreola</i>	Vagrant	<i>M.c.citreola</i>
875	Grey Wagtail	<i>Motacilla cinerea</i>	Vagrant	<i>M.c.cinerea</i>
874	White Wagtail	<i>Motacilla alba</i>	Vagrant	<i>ssp.?</i>
647	Australasian Pipit	<i>Anthus australis</i>	X	<i>A.a.australis; was Anthus novaeseelandiae</i>

**Fringillidae**

- 788 **Common Chaffinch** *Fringilla coelebs*  
 997 **Common Greenfinch** *Chloris chloris*  
 790 **Common Redpoll** *Acanthis flammea*  
 996 **European Goldfinch** *Carduelis carduelis*

**Emberizidae**

- 789 **Yellowhammer** *Emberiza citrinella*

Vagrant **INTRODUCED**  
**European Common Chaffinch**, *F.c. gengleri*  
 X **INTRODUCED**  
**IOC = European Greenfinch** *ssp.?*  
 Vagrant *A.f.flammea*  
 X **INTRODUCED** *ssp.?*

Vagrant *E.c.calignosa*

**Extinct LHI Species**

- White-throated Pigeon** *Columba vitiensis godmanae*  
**White Gallinule** *Porphyrio albus*  
**Tasman Parakeet** *Cyanoramphus cookii subflavescens*  
**Southern Boobook** *Ninox novaeseelandiae albaria*  
**Lord Howe Gerygone** *Gerygone insularis*  
**Robust White-eye** *Zosterops strenuus*  
**Tasman Starling** *Aplonis fusca hulliana*  
**Island Thrush** *Turdus poliocephalus vinitinctus*

-  
 -  
 -  
 -  
 -  
 -  
 -  
 -  
 -