

DRAFT

*NSWBA List of the Birds of New South Wales, the Australian
Capital Territory & Lord Howe Island Group*

Dick Cooper

The New South Wales Bird Atlassers Inc. (NSWBA) was established in 1982 with aims focussed on monitoring the distribution of birds in New South Wales (including the Lord Howe group) and the Australian Capital Territory. To achieve this, the NSWBA established and maintains a comprehensive database on the occurrence, breeding and non-breeding distribution of those birds recorded within the area concerned.

For this purpose the NSWBA needs to have ready access to, and maintain, an accurate list of those species and subspecies of birds reported to occur in NSW, including Lord Howe Island, the Tasman Sea from the NSW coast to 200 kms offshore, Elizabeth and Middleton Reef Marine National Nature Reserve, and the ACT.

Some introduced birds, aviary releases/escapees and feral and hybrid populations are listed too as are species and subspecies that no longer occur within the region. Birds that are incorrectly reported as occurring here are not listed.

Within the NSWBA area of interest more than six hundred species of birds (601 to 615+ species, depending on the which taxonomy you accept) have been recorded. About Twenty-five percent (25%) of these are not included on the NSWBA Atlas Sheet because they occur as rare, as vagrants or are otherwise infrequently recorded. For each of these birds the NSWBA may require supporting information and Atlassers are encouraged to take detailed notes and photographs of their observations of these birds and include same with the Atlas Sheet. Apart from the NSWBA Vetting Committee, there are two other groups that seek information on rare or vagrant species. There are **BARC** - Birdlife Australia Rarities Committee and **NSWORAC** - NSW Ornithological Records Appraisal Committee.

The NSWBA Bird List largely follows the order applied using the taxonomy recommended by Birdlife Australia's WLAB V4.1. Taxonomy classifies living organisms into families, species, subspecies etc. and aids identification of species, helps understand their relationships, the needs of specific organisms and can aid conservation, however, taxonomy is not static and scientists continue to explore genetic, physiological, and morphological evidence. Australia is presently experiencing a period of extensive taxonomic change though not every taxonomic findings is accepted universally. This means that different organisations may have bird lists that vary. The NSW Bird Atlassers bird list is a multi-functional document which aims to provide members and other birders with a current list of birds accepted as unquestionably occurring in our area of interest along with relevant supporting information, e.g. the Elegant Parrot (#307) is not included on this list.

At the basic level, the list includes, under the column headed 'NSW', all birds accepted as occurring within the NSWBA area of interest (as explained above) and whether each species occurs regularly (shown as 'X') or as 'Vagrant'. A 2nd column, headed 'LHI' identifies those species/subspecies regularly occurring on Lord Howe Island and other islands in that group. Both lists reflect currently accepted taxonomic status for each bird and subspecies whilst the English Names listed are considered the most practical and common names used by birders for Australian bird species.

In the '**Comments**' column, the list indicates those species assessed as threatened species under NSW and/or ACT legislation, indicating the assessed threat status using the abbreviations of 'Ex' - Extinct, 'CE' - Critically Endangered; 'E' - Endangered, 'V' - Vulnerable. A species' threatened status is also included even where assessment is only contained in the national Environment Protection and Biodiversity Conservation (EPBC) Act 1999. There are several other items included in the '**Comments**' column. There are:

- * the scientific name(s) of native subspecies known to occur within the NSWBA area of interest, where there is more than one subspecies in Australia;
- * alternate common names used in WLAB V4 - highlighted in Bold, or by the IOC - highlight in bold on a yellow background;
- * introduced/feral species are indicated as '**Introduced**' and, where possible, the relevant subspecies is identified. '**ssp?**' indicates that the subspecies is not known;
- * the key Bio-geographic regions, if any, that the bird is known to frequent (refer Vol. 1 of the NSW/ACT Atlas for full details);
- * for rare and vagrant species, this column includes an abbreviated indication of the nominated appraisal group, as follows - NSWBA, BARC or NSWORAC. Note that the NSWORAC list has geographic qualifiers for species marked as '**NSWORAC****'; and
- * other helpful information about some species is included within a green background.

This approach means we provide as much detail as practical about any species/subspecies to better inform members and other users.

* * * * *

| Atlas ID | Common & Scientific Names | NSW | LHI | Comments |
|----------------------|--|---------|---------|---|
| Struthionidae | | | | |
| 928 | Eastern Ostrich <i>Struthio camelus</i> | X | | NSWORAC** INTRODUCED <i>ssp: massaicus</i> |
| Casuariidae | | | | |
| 001 | Emu <i>Dromaius novaehollandiae</i> | X | | |
| Anseranatidae | | | | |
| 199 | Magpie Goose <i>Anseranas semipalmata</i> | X | | |
| Anatidae | | | | |
| 205 | Plumed Whistling-Duck <i>Dendrocygna eytoni</i> | X | | |
| 204 | Wandering Whistling-Duck <i>Dendrocygna arcuata</i> | X | | |
| 198 | Cape Barren Goose <i>Cereopsis novaehollandiae</i> | Vagrant | NSWORAC | |
| 799 | Canada Goose <i>Branta canadensis</i> | Vagrant | Vagrant | BARC |
| 203 | Black Swan <i>Cygnus atratus</i> | X | Vagrant | |
| 214 | Freckled Duck <i>Stictonetta naevosa</i> | X | | |
| 206 | Radjah (Raja) Shelduck <i>Radjah radjah</i> | Vagrant | | |
| 207 | Australian Shelduck <i>Tadorna tadornoides</i> | X | Vagrant | |
| 798 | Paradise Shelduck <i>Tadorna variegata</i> | Vagrant | Vagrant | BARC |
| 213 | Pink-eared Duck <i>Malacorhynchus membranaceus</i> | X | | |
| 202 | Australian Wood Duck <i>Chenonetta jubata</i> | X | Vagrant | IOC = Maned Duck |
| 200 | Cotton Pygmy-goose <i>Nettapus coromandelianus</i> | X | | NSWORAC** |
| 201 | Green Pygmy-goose <i>Nettapus pulchellus</i> | Vagrant | | NSWORAC |
| 209 | Garganey <i>Spatula querquedula</i> | Vagrant | | BARC and NSWORAC |
| 212 | Australasian Shoveler <i>Spatula rhynchotis</i> | X | | |
| 905 | Northern Shoveler <i>Spatula clypeata</i> | Vagrant | | BARC |
| 208 | Pacific Black Duck <i>Anas superciliosa</i> | X | | |
| 800 | Northern Pintail <i>Anas acuta</i> | Vagrant | | BARC |
| 948 | Mallard <i>Anas platyrhynchos</i> | X | | INTRODUCED Common Mallard, <i>A. p. platyrhynchos</i> |
| 211 | Grey Teal <i>Anas gracilis</i> | X | Vagrant | |
| 210 | Chestnut Teal <i>Anas castanea</i> | X | Vagrant | |
| 215 | Hardhead <i>Aythya australis</i> | X | Vagrant | |
| 216 | Blue-billed Duck <i>Oxyura australis</i> | X | | |
| 217 | Musk Duck <i>Biziura lobata</i> | X | | |
| Megapodiidae | | | | |
| 008 | Australian Brush-turkey <i>Alectura lathami</i> | X | | |
| 007 | Malleefowl <i>Leipoa ocellata</i> | X | | |
| Phasianidae | | | | |
| 009 | Stubble Quail <i>Coturnix pectoralis</i> | X | | |
| 010 | Brown Quail <i>Synoicus ypsilophora</i> | X | | Mainland Brown Quail, <i>S.y. australis</i> |
| 012 | King Quail <i>Excalfactoria chinensis</i> | X | | |
| Podargidae | | | | |
| 314 | Marbled Frogmouth <i>Podargus ocellatus</i> | X | | NSWBA |
| 313 | Tawny Frogmouth <i>Podargus strigoides</i> | X | | |

| | | | |
|-----------------------|-----------------------------------|----------------------------------|--|
| Eurostopodidae | | | |
| 331 | Spotted Nightjar | <i>Eurostopodus argus</i> | X |
| 330 | White-throated Nightjar | <i>Eurostopodus mystacalis</i> | X |
| Aegothelidae | | | |
| 317 | Australian Owlet-nightjar | <i>Aegotheles cristatus</i> | X |
| Apodidae | | | |
| 333 | Australian Swiftlet | <i>Aerodramus terrareginae</i> | Vagrant NSWORAC |
| 881 | Uniform Swiftlet | <i>Aerodramus vanikorensis</i> | Vagrant 1 record only, Munmorah SRA, 8-11-2021 : BARC |
| 334 | White-throated Needletail | <i>Hirundoapus caudacutus</i> | X Vagrant |
| 335 | Fork-tailed Swift | <i>Apus pacificus</i> | X Vagrant IOC = Pacific Swift |
| Otididae | | | |
| 176 | Australian Bustard | <i>Ardeotis australis</i> | X |
| Cuculidae | | | |
| 349 | Pheasant Coucal | <i>Centropus phasianinus</i> | X |
| 347 | Pacific (Eastern) Koel | <i>Eudynamys orientalis</i> | X |
| 791 | Long-tailed Cuckoo | <i>Urodynamys taitensis</i> | Vagrant IOC = Pacific Long-tailed Cuckoo BARC |
| 348 | Channel-billed Cuckoo | <i>Scythrops novaehollandiae</i> | X |
| 342 | Horsfield's Bronze-Cuckoo | <i>Chalcites basalis</i> | X |
| 341 | Black-eared Cuckoo | <i>Chalcites osculans</i> | X |
| 344 | Shining Bronze-Cuckoo | <i>Chalcites lucidus</i> | X |
| | 344a Golden Bronze-Cuckoo | <i>C.l. plagosus</i> | |
| | 344b Shining Bronze-Cuckoo | <i>C.l. lucidus</i> | NSWBA |
| 345 | Little Bronze-Cuckoo | <i>Chalcites minutillus</i> | X |
| 337 | Pallid Cuckoo | <i>Cacomantis pallidus</i> | X |
| 338 | Fan-tailed Cuckoo | <i>Cacomantis flabelliformis</i> | X Change to flabelliformis in Vol. 2 page 359 |
| 339 | Brush Cuckoo | <i>Cacomantis variolosus</i> | X |
| 336 | Oriental Cuckoo | <i>Cuculus optatus</i> | X NSWBA |
| Columbidae | | | |
| 957 | Rock Dove | <i>Columba livia</i> | X INTRODUCED Common Rock Dove, C. livia |
| 028 | White-headed Pigeon | <i>Columba leucomela</i> | X |
| 989 | Spotted Dove | <i>Spilopelia chinensis</i> | X Vagrant INTRODUCED ssp? |
| 029 | Brown Cuckoo-Dove | <i>Macropygia phasianella</i> | X |
| 033 | (Pacific) Emerald Dove | <i>Chalcophaps longirostris</i> | X |
| 034 | Common Bronzewing | <i>Phaps chalcoptera</i> | X |
| 035 | Brush Bronzewing | <i>Phaps elegans</i> | X Vagrant |
| 036 | Flock Bronzewing | <i>Phaps histrionica</i> | X NSWORAC** |
| 043 | Crested Pigeon | <i>Ocyphaps lophotes</i> | X |
| 039 | Squatter Pigeon | <i>Geophaps scripta</i> | X NSWORAC |
| 031 | Diamond Dove | <i>Geopelia cuneata</i> | X |
| 030 | Peaceful Dove | <i>Geopelia placida</i> | X |
| 032 | Bar-shouldered Dove | <i>Geopelia humeralis</i> | X |
| 044 | Wonga Pigeon | <i>Leucosarcia melanoleuca</i> | X |
| 025 | Wompoo Fruit-Dove | <i>Ptilinopus magnificus</i> | X |
| 023 | Superb Fruit-Dove | <i>Ptilinopus superbus</i> | X NSWBA |
| 021 | Rose-crowned Fruit-Dove | <i>Ptilinopus regina</i> | X |
| 026 | Torresian Imperial Pigeon | <i>Ducula spilorrhoea</i> | Vagrant NSWORAC |
| 027 | Topknot Pigeon | <i>Lopholaimus antarcticus</i> | X |
| Rallidae | | | |
| 899 | Corncrake | <i>Crex crex</i> | Vagrant BARC |
| 045 | Lewin's Rail | <i>Lewinia pectoralis</i> | X |
| 046 | Buff-banded Rail | <i>Hypotaenidia philippensis</i> | X |
| 966 | Lord Howe Woodhen | <i>Hypotaenidia sylvestris</i> | X |
| 049 | Australian (Spotted) Crane | <i>Porzana fluminea</i> | X |
| 055 | Black-tailed Native-hen | <i>Tribonyx ventralis</i> | X |
| 056 | Dusky Moorhen | <i>Gallinula tenebrosa</i> | X |
| 059 | Eurasian Coot | <i>Fulica atra</i> | X |
| 058 | Purple Swamphen | <i>Porphyrio melanotus</i> | X IOC = Australasian Swamphen |
| 050 | Baillon's Crane | <i>Zapornia pusilla</i> | X |
| 051 | Spotless Crane | <i>Zapornia tabuensis</i> | X |
| 052 | White-browed Crane | <i>Poliolimnas cinerea</i> | Vagrant |
| 053 | Pale-vented Bush-hen | <i>Amaurornis moluccana</i> | X NSWBA |

| | | |
|-------------------------|---|--|
| Gruidae | | |
| 177 | Brolga <i>Grus rubicunda</i> | X |
| Podicipedidae | | |
| 062 | Australasian Grebe <i>Tachybaptus novaehollandiae</i> | X Vagrant |
| 062 | Hoary-headed Grebe <i>Poliiocephalus poliocephalus</i> | X Vagrant |
| 060 | Great Crested Grebe <i>Podiceps cristatus</i> | X |
| Turnicidae | | |
| 013 | Red-backed Button-quail <i>Turnix maculosa</i> | X |
| 017 | Black-breasted Button-quail <i>Turnix melanogaster</i> | X NSWORAC |
| 014 | Painted Button-quail <i>Turnix varia</i> | X |
| 019 | Red-chested Button-quail <i>Turnix pyrrhorthorax</i> | X |
| 018 | Little Button-quail <i>Turnix velox</i> | X |
| Burhinidae | | |
| 174 | Bush Stone-curlew <i>Burhinus grallarius</i> | X |
| 175 | Beach Stone-curlew <i>Esacus magnirostris</i> | X |
| Haematopodidae | | |
| 744 | South Island Pied Oystercatcher <i>Haematopus finschi</i> | X BARC NOTE: Vol. 3 Supplementary section entry, page 646, name should be prefixed '744' |
| 130 | Australian Pied Oystercatcher <i>Haematopus longirostris</i> | X |
| 131 | Sooty Oystercatcher <i>Haematopus fuliginosus</i> | X |
| Recurvirostridae | | |
| 146 | Black-winged Stilt <i>Himantopus himantopus</i> | X |
| 147 | Banded Stilt <i>Cladorhynchus leucocephalus</i> | X NSWBA |
| 148 | Red-necked Avocet <i>Recurvirostra novaehollandiae</i> | X |
| Charadriidae | | |
| 9918 | Grey-headed Lapwing <i>Vanellus cinereus</i> | Vagrant BARC |
| 133 | Masked Lapwing <i>Vanellus miles</i> | X |
| 133a | Masked Lapwing <i>V.m. miles</i> | |
| 133b | Masked Lapwing <i>V.m. novaehollandiae</i> | |
| 132 | Red-kneed Dotterel <i>Erythrogonys cinctus</i> | X |
| 145 | Inland Dotterel <i>Peltohyas australis</i> | X |
| 137 | Pacific Golden Plover <i>Pluvialis fulva</i> | X |
| 844 | American Golden Plover <i>Pluvialis dominicus</i> | Vagrant BARC |
| 136 | Grey Plover <i>Pluvialis squatarola</i> | X |
| 895 | Ringed Plover <i>Charadrius hiaticula</i> | Vagrant IOC = Common Ringed Plover BARC |
| 851 | Little Ringed Plover <i>Charadrius dubius</i> | Vagrant NSWORAC - 1st NSW Record 29-7-2024 |
| 770 | Kentish Plover <i>Charadrius alexandrinus</i> | Vagrant BARC |
| 143 | Red-capped Plover <i>Charadrius ruficapillus</i> | X |
| 140 | Double-banded Plover <i>Charadrius bicinctus</i> | X |
| 139 | Lesser Sand Plover <i>Charadrius mongolus</i> | X |
| 141 | Greater Sand Plover <i>Charadrius leschenaultii</i> | X |
| 142 | Oriental Plover <i>Charadrius veredus</i> | X |
| 138 | Hooded Plover <i>Thinornis cuculatus</i> | X |
| 135 | Banded Lapwing <i>Vanellus tricolor</i> | X |
| 144 | Black-fronted Dotterel <i>Elsayornis melanops</i> | X |
| Rostratulidae | | |
| 170 | Australian Painted Snipe <i>Rostratula australis</i> | X |
| Jacanidae | | |
| 171 | Comb-crested Jacana <i>Irediparra gallinacea</i> | X |
| Pedionomidae | | |
| 020 | Plains-wanderer <i>Pedionomus torquatus</i> | X NSWBA |
| Scolopacidae | | |
| 892 | Upland Sandpiper <i>Bartramia longicauda</i> | Vagrant BARC |
| 151 | Little Curlew <i>Numenius minutus</i> | X |
| 150 | Whimbrel <i>Numenius phaeopus</i> | X Volume 2, page 29, wrongly names as <i>Numenius minutus</i> |
| 149 | Eastern Curlew <i>Numenius madagascariensis</i> | X IOC = Far Eastern Curlew |
| 153 | Bar-tailed Godwit <i>Limosa lapponica</i> | X |
| 152 | Black-tailed Godwit <i>Limosa limosa</i> | X |
| 815 | Hudsonian Godwit <i>Limosa haemastica</i> | Vagrant |
| 129 | Ruddy Turnstone <i>Arenaria interpres</i> | X |
| 165 | Great Knot <i>Calidris tenuirostris</i> | X |

| | | | |
|-----------------------|---|-----------|--|
| 164 | Red Knot <i>Calidris canutus</i> | X | |
| 934 | Ruff <i>Calidris pugnax</i> | X | |
| 167 | Broad-billed Sandpiper <i>Calidris falcinellus</i> | X | NSWBA |
| 163 | Sharp-tailed Sandpiper <i>Calidris acuminata</i> | X | |
| 161 | Curlew Sandpiper <i>Calidris ferruginea</i> | X | |
| 965 | Long-toed Stint <i>Calidris subminuta</i> | X | NSWORAC |
| 162 | Red-necked Stint <i>Calidris ruficollis</i> | X | |
| 166 | Sanderling <i>Calidris alba</i> | X | |
| 888 | Dunlin <i>Calidris alpina</i> | Vagrant | BARC |
| 857 | Little Stint <i>Calidris minuta</i> | Vagrant | NSWORAC |
| 849 | White-rumped Sandpiper <i>Calidris fuscicollis</i> | Vagrant | BARC |
| 887 | Buff-breasted Sandpiper <i>Calidris subruficollis</i> | Vagrant | |
| 978 | Pectoral Sandpiper <i>Calidris melanotos</i> | X | |
| 8066 | Semipalmated Plover <i>Charadrius semipalmatus</i> | Vagrant | BARC |
| 939 | Asian Dowitcher <i>Limnodromus semipalmatus</i> | Vagrant | NSWORAC |
| 168 | Latham's Snipe <i>Gallinago hardwickii</i> | X | |
| 160 | Terek Sandpiper <i>Xenus cinereus</i> | X Vagrant | |
| 932 | Red-necked Phalarope <i>Phalaropus lobatus</i> | Vagrant | NSWORAC |
| 157 | Common Sandpiper <i>Actitis hypoleucos</i> | X Vagrant | |
| 156 | Wandering Tattler <i>Tringa incana</i> | X | NSWBA |
| 155 | Grey-tailed Tattler <i>Tringa brevipes</i> | X | |
| 809 | Lesser Yellowlegs <i>Tringa flavipes</i> | Vagrant | BARC |
| 891 | Common Redshank <i>Tringa totanus</i> | Vagrant | NSWORAC |
| 159 | Marsh Sandpiper <i>Tringa stagnatilis</i> | X | |
| 154 | Wood Sandpiper <i>Tringa glareola</i> | X | |
| 158 | Common Greenshank <i>Tringa nebularia</i> | X Vagrant | |
| 173 | Australian Pratincole <i>Stiltia isabella</i> | X | |
| Glareolidae | | | |
| 172 | Oriental Pratincole <i>Glareola maldivarum</i> | Vagrant | NSWORAC |
| Laridae | | | |
| 122 | Common Noddy <i>Anous stolidus</i> | Vagrant | NSWBA except LHI |
| 124 | Black Noddy <i>Anous minutus</i> | Vagrant | NSWBA except LHI |
| 972 | White Tern <i>Gygis alba</i> | X | |
| 982 | Grey Ternlet <i>Procelsterna cerulea</i> | Vagrant | NSWBA except LHI |
| 654 | Aleutian Tern <i>Onychoprion aleutica</i> | X | BARC |
| 121 | Bridled Tern <i>Onychoprion anaethetus</i> | Vagrant | NSWORAC |
| 120 | Sooty Tern <i>Onychoprion fuscata</i> | X | |
| 117 | Little Tern <i>Sternula albifrons</i> | X | |
| 118 | Fairy Tern <i>Sternula nereis</i> | X | NSWORAC** |
| 111 | Australian (Gull-billed) Tern <i>Gelochelidon macrotarsa</i> | X | Note: changed sp. id cf BLA Working List |
| 8794 | Common Gull-billed Tern <i>Gelochelidon nilotica</i> | Vagrant | Note: changed sp. id cf BLA Working List |
| 112 | Caspian Tern <i>Hydroprogne caspia</i> | X | |
| 5137 | Black-fronted Tern <i>Chlidonias albostrigatus</i> | Vagrant | BARC |
| 110 | Whiskered Tern <i>Chlidonias hybrida</i> | X | |
| 109 | White-winged (Black) Tern <i>Chlidonias leucopterus</i> | X | |
| 884 | Black Tern <i>Chlidonias niger</i> | Vagrant | BARC |
| 113 | Roseate Tern <i>Sterna dougallii</i> | Vagrant | NSWORAC |
| 114 | White-fronted Tern <i>Sterna striata</i> | X | |
| 119 | Black-naped Tern <i>Sterna sumatrana</i> | Vagrant | NSWORAC |
| 953 | Common Tern <i>Sterna hirundo</i> | X | |
| 952 | Arctic Tern <i>Sterna paradisaea</i> | X | NSWBA |
| 115 | Crested Tern <i>Thalasseus bergii</i> | X | |
| 126 | Pacific Gull <i>Larus pacificus</i> | X | |
| 981 | Kelp Gull <i>Larus dominicanus</i> | X | |
| 785 | Laughing Gull <i>Larus atricilla</i> | Vagrant | BARC |
| 885 | Franklin's Gull <i>Leucophaeus pipixcan</i> | Vagrant | |
| 125 | Silver Gull <i>Chroicocephalus novaehollandiae</i> | X | |
| 783 | Sabine's Gull <i>Xema sabini</i> | Vagrant | |
| Stercorariidae | | | |
| 979 | South Polar Skua <i>Stercorarius maccormicki</i> | Vagrant | NSWORAC** - BARC (Dark morphs) |
| 980 | Brown Skua <i>Stercorarius antarcticus</i> | X | |
| 945 | Pomarine Jaeger <i>Stercorarius pomarinus</i> | X | |
| 145 | Arctic Jaeger <i>Stercorarius parasiticus</i> | X | |
| 933 | Long-tailed Jaeger <i>Stercorarius longicauda</i> | X | |

Phaethontidae

| | | | | |
|------|---|---------|---------|------|
| 9966 | Red-billed Tropicbird <i>Phaethon aethereus</i> | X | Vagrant | BARC |
| 107 | Red-tailed Tropicbird <i>Phaethon rubricauda</i> | Vagrant | | |
| 108 | White-tailed Tropicbird <i>Phaethon lepturus</i> | X | Vagrant | |

Spheniscidae

| | | | | |
|------|---|---------|--|------------------|
| 8869 | Northern Rockhopper Penguin <i>Eudyptes moseleyi</i> | Vagrant | | BARC |
| 004 | Fiordland Penguin <i>Eudyptes pachyrhynchus</i> | Vagrant | | NSWORAC |
| 968 | Macaroni Penguin <i>Eudyptes chrysolophus</i> | Vagrant | | BARC and NSWORAC |
| 005 | Little Penguin <i>Eudyptula minor</i> | X | | |

Oceanitidae

| | | | | |
|------|---|---------|---------|-----------|
| 063 | Wilson's Storm-Petrel <i>Oceanites oceanicus</i> | X | Vagrant | |
| 064 | Grey-backed Storm-Petrel <i>Garrodia nereis</i> | X | | NSWORAC** |
| 065 | White-faced Storm-Petrel <i>Pelagodroma marina</i> | X | Vagrant | |
| 066 | Black-bellied Storm-Petrel <i>Fregetta tropica</i> | X | | |
| 944 | White-bellied Storm-Petrel <i>Fregetta grallia</i> | X | | NSWORAC** |
| 8092 | New Zealand Storm-Petrel <i>Fregetta maoriana</i> | Vagrant | | BARC |
| 5136 | New Caledonia Storm-Petrel <i>Fregetta lineata</i> | Vagrant | | NSWORAC |

Diomedidae

| | | | | |
|-----|---|---------|---------|----------------------------|
| 086 | Wandering Albatross <i>Diomedea exulans</i> | X | Vagrant | |
| | 086a Wandering Albatross <i>D. e. exulans</i> | | | |
| | 846 Gibson's Albatross <i>D. e. gibsoni</i> | | | |
| | 846 Antipodean Albatross <i>D. e. antipodensis</i> | | | |
| | 845 Tristan Albatross <i>D. e. dabbenena</i> | Vagrant | Vagrant | BARC |
| 974 | Royal Albatross <i>Diomedea epomophora</i> | X | | |
| | 973 Northern Royal Albatross <i>D.e. sanfordi</i> | | | NSWORAC |
| | 974 Southern Royal Albatross <i>D.e. epomophora</i> | | | NSWORAC |
| 092 | Sooty Albatross <i>Phoebastria fusca</i> | X | | NSWORAC |
| 093 | Light-mantled Sooty Albatross <i>Phoebastria palpebrata</i> | X | | NSWORAC |
| 088 | Black-browed Albatross <i>Thalassarche melanophris</i> | X | | |
| | 088 Black-browed Albatross <i>T. m. melanophris</i> | | | |
| | 859 Campbell Albatross <i>T. m. impavida</i> | | | |
| 091 | Shy Albatross <i>Thalassarche cauta</i> | X | | |
| | 091 Shy Albatross <i>T. c. cauta</i> | | | |
| | 861 White-capped Albatross <i>T. c. steadi</i> | | | |
| | 863 Chatham Albatross <i>T. c. eremita</i> | Vagrant | | BARC |
| | 862 Salvin's Albatross <i>T. c. salvini</i> | | | NSWORAC |
| 090 | Grey-headed Albatross <i>Diomedea chrysostoma</i> | X | | NSWORAC |
| 089 | Yellow-nosed Albatross <i>Thalassarche chlororhynchus</i> | X | | |
| | 869 Indian Yellow-nosed Albatross <i>T. carteri</i> | | | |
| | 089 Atlantic Yellow-nosed Albatross <i>T. c. chlororhynchus</i> | Vagrant | | BARC |
| 931 | Buller's Albatross <i>Diomedea bulleri</i> | X | | |
| | 931a Southern Buller's Albatross <i>D. b. bulleri</i> | | | NSWBA |
| | 931b Northern Albatross <i>D. b. platei</i> | | | Or Pacific Albatross NSWBA |

Hydrobatidae

| | | | | |
|------|--|---------|--|---------------------------------|
| 9710 | Band-rumped Storm-Petrel <i>Hydrobates castro</i> | Vagrant | | BARC - 25/3/2023 1st NSW Record |
| 802 | Matsudaira's Storm-Petrel <i>Hydrobates matsudairae</i> | Vagrant | | BARC - 2/2/2023 1st NSW Record |
| 811 | Tristram's Storm-Petrel <i>Hydrobates tristami</i> | Vagrant | | BARC |

Procellariidae

| | | | | |
|-----|---|---------|--|---------|
| 929 | Southern Giant-Petrel <i>Macronectes giganteus</i> | X | | |
| 937 | Northern Giant-Petrel <i>Macronectes halli</i> | X | | |
| 074 | Southern Fulmar <i>Fulmarus glacialis</i> | X | | NSWORAC |
| 949 | Antarctic Petrel <i>Thalassoica antarctica</i> | Vagrant | | |
| 080 | Cape Petrel <i>Daption capense</i> | X | | |
| 081 | Blue Petrel <i>Halobaena caerulea</i> | X | | NSWORAC |
| 082 | Broad-billed Prion <i>Pachyptila vittata</i> | X | | |
| 941 | Salvin's Prion <i>Pachyptila salvini</i> | X | | NSWORAC |
| 084 | Antarctic Prion <i>Pachyptila desolata</i> | X | | BARC |
| 942 | Slender-billed Prion <i>Pachyptila belcheri</i> | X | | NSWBA |
| 083 | Fairy Prion <i>Pachyptila trutur</i> | X | | |
| 915 | White-chinned Petrel <i>Procellaria aequinoctialis</i> | X | | |
| 916 | Westland Petrel <i>Procellaria westlandica</i> | X | | NSWORAC |
| 917 | Black Petrel <i>Procellaria parkinsoni</i> | X | | |

| | | | |
|--------------------------|---|-----------|---|
| 073 | Grey Petrel <i>Procellaria cinerea</i> | Vagrant | NSWORAC |
| 069 | Wedge-tailed Shearwater <i>Ardenna pacifica</i> | X | |
| 975 | Buller's Shearwater <i>Ardenna bulleri</i> | X | NSWBA |
| 071 | Short-tailed Shearwater <i>Ardenna tenuirostris</i> | X | |
| 070 | Sooty Shearwater <i>Ardenna grisea</i> | X | |
| 771 | Great Shearwater <i>Ardenna gravis</i> | Vagrant | |
| 072 | Flesh-footed Shearwater <i>Ardenna carneipes</i> | X | |
| 772 | Pink-footed Shearwater <i>Ardenna creatopus</i> | Vagrant | |
| 853 | Streaked Shearwater <i>Calonectris leucomelas</i> | X | |
| 068 | Fluttering Shearwater <i>Puffinus gavia</i> | X | |
| 913 | Hutton's Shearwater <i>Puffinus huttoni</i> | X | |
| 739 | Newell's Shearwater <i>Puffinus newelli</i> | Vagrant | BARC Re-evaluated Tropical Shearwater record and accepted as Newell's Shearwater. |
| 067 | Little Shearwater <i>Puffinus assimilis</i> | X | |
| 920 | Tahiti Petrel <i>Pseudobulweria rostrata</i> | X | |
| 776 | Bulwer's Petrel <i>Bulweria bulwerii</i> | Vagrant | BARC and NSWORAC |
| 922 | Kermadec Petrel <i>Pterodroma neglecta</i> | X | |
| 921 | Herald Petrel <i>Pterodroma heraldica</i> | Vagrant | BARC |
| 077 | White-headed Petrel <i>Pterodroma lessonii</i> | X Vagrant | |
| 971 | Providence Petrel <i>Pterodroma solandri</i> | X | |
| 5132 | Chatham Island Tāiko <i>Pterodroma magentae</i> | Vagrant | BARC. Alternate name: Magenta Petrel |
| 076 | Soft-plumaged Petrel <i>Pterodroma mollis</i> | Vagrant | NSWORAC |
| 075 | Great-winged Petrel <i>Pterodroma macroptera</i> | X | NSWORAC |
| 8681 | Grey-faced Petrel <i>Pterodroma gouldi</i> | X | |
| 935 | Kerguelen Petrel <i>Aprodroma brevirostris</i> | Vagrant | NSWORAC |
| 775 | Barau's Petrel <i>Pterodroma barau</i> | Vagrant | |
| 810 | Juan Fernandez Petrel <i>Pterodroma externa</i> | Vagrant | BARC |
| 919 | Mottled Petrel <i>Pterodroma inexpectata</i> | X | NSWORAC |
| 078 | Gould's Petrel <i>Pterodroma leucoptera</i> | X Vagrant | |
| 8073 | Collared Petrel <i>Pterodroma brevipes</i> | Vagrant | |
| 078 | Cook's Petrel <i>Pterodroma cookii</i> | X | |
| 774 | White-necked Petrel <i>Pterodroma cervicalis</i> | X | |
| 956 | Vanuatu Petrel <i>Pterodroma cervicalis occulta</i> | Vagrant | BARC - 9/4/1983 - 1st Aust Record |
| 955 | Black-winged Petrel <i>Pterodroma nigripennis</i> | X | |
| 085 | Common Diving-Petrel <i>Pelecanoides urinatrix</i> | X | |
| 910 | South Georgian Diving-Petrel <i>Pelecanoides georgicus</i> | Vagrant | BARC |
| Ciconiidae | | | |
| 183 | Black-necked Stork <i>Ephippiorhynchus asiaticus</i> | X | |
| Fregatidae | | | |
| 095 | Great Frigatebird <i>Fregata minor</i> | Vagrant | NSWORAC |
| 094 | Lesser Frigatebird <i>Fregata ariel</i> | X | NSWBA |
| Sulidae | | | |
| 104 | Australasian Gannet <i>Morus serrator</i> | X | |
| 105 | Masked Booby <i>Sula dactylatra</i> | X | |
| 105b | Masked Booby <i>S.d. tasmani</i> | X | X |
| 105a | Masked Booby <i>S.d. personata</i> | Vagrant | |
| 103 | Red-footed Booby <i>Sula sula</i> | X | |
| 102 | Brown Booby <i>Sula leucogaster</i> | X | |
| Anhingidae | | | |
| 101 | Australasian Darter <i>Anhinga novaehollandiae</i> | X | |
| Phalacrocoracidae | | | |
| 100 | Little Pied Cormorant <i>Microcarbo melanoleucos</i> | X | |
| 098 | Black-faced Cormorant <i>Phalacrocorax fuscescens</i> | X | NSWORAC** |
| 099 | Australian Pied Cormorant <i>Phalacrocorax varius</i> | X | <i>P.v. hypoleucos</i> |
| 097 | Little Black Cormorant <i>Phalacrocorax sulcirostris</i> | X | |
| 096 | Great Cormorant <i>Microcarbo melanoleucos</i> | X | <i>M.m. novaehollandiae</i> |
| Threskiornithidae | | | |
| 179 | Australian White Ibis <i>Threskiornis molucca</i> | X | <i>T.m.molucca</i> |
| 180 | Straw-necked Ibis <i>Threskiornis spinicollis</i> | X | |
| 178 | Glossy Ibis <i>Plegadis falcinellus</i> | X | |
| 181 | Royal Spoonbill <i>Platalea regia</i> | X | |
| 182 | Yellow-billed Spoonbill <i>Platalea flavipes</i> | X | |

| | | |
|---------------------|---|--|
| Ardeidae | | |
| 197 | Australasian Bittern <i>Botaurus poiciloptilus</i> | X NSWBA except MIA district |
| 195 | Australian Little Bittern <i>Ixobrychus dubius</i> | X aka - Black-backed Bittern NSWBA |
| 196 | Black Bittern <i>Ixobrychus flavicollis</i> | X <i>I.f.australis</i> NSWBA |
| 192 | Nankeen Night-Heron <i>Nycticorax caledonicus</i> | X <i>N.c.australasiae</i> |
| 193 | Striated Heron <i>Butorides striata</i> | X <i>B.s.stagnatalis</i> - includes <i>rogersi</i> (Marchant & Higgins 1990). |
| 189 | White-necked Heron <i>Ardea pacifica</i> | X |
| 184 | Great-billed Heron <i>Ardea sumatrana</i> | Vagrant |
| 187 | Eastern Great Egret <i>Ardea modesta</i> | X <i>A.m.modesta</i> - split from Great Egret warrants more data |
| 186 | Intermediate Egret <i>Ardea intermedia</i> | X <i>A.i.plumifera</i> - ' Plumed Egret ' HBW Alive - BARC |
| 190 | Pied Heron <i>Egretta picata</i> | X NSWORAC |
| 188 | White-faced Heron <i>Egretta novaehollandiae</i> | X |
| 185 | Little Egret <i>Egretta garzetta</i> | X <i>E.g.nigripes</i> |
| 191 | Eastern Reef Egret <i>Egretta sacra</i> | X <i>E.s.sacra</i> - also Pacific Reef Heron |
| 977 | Cattle Egret <i>Ardea ibis</i> | X |
| Pelecanidae | | |
| 106 | Australian Pelican <i>Pelecanus conspicillatus</i> | X |
| Accipitridae | | |
| 241 | Eastern Osprey <i>Pandion cristatus</i> | X |
| 232 | Black-shouldered Kite <i>Elanus axillaris</i> | X |
| 233 | Letter-winged Kite <i>Elanus scriptus</i> | X NSWBA |
| 230 | Square-tailed Kite <i>Lophoictinia isura</i> | X |
| 231 | Black-breasted Buzzard <i>Hamirostra melanosternon</i> | X NSWORAC |
| 234 | Pacific Baza <i>Aviceda subcristata</i> | X <i>A.s.subcristata</i> |
| 225 | Little Eagle <i>Hieraaetus morphnoides</i> | X |
| 224 | Wedge-tailed Eagle <i>Aquila audax</i> | X <i>A.a.audax</i> |
| 223 | Red Goshawk <i>Erythrotriorchis radiatus</i> | X NSWORAC |
| 220 | Grey Goshawk <i>Accipiter novaehollandiae</i> | X |
| 221 | Brown Goshawk <i>Accipiter fasciatus</i> | X <i>A.f.fasciatus</i> |
| 222 | Collared Sparrowhawk <i>Accipiter cirrocephalus</i> | X <i>A.c.cirrocephalus</i> |
| 219 | Swamp Harrier <i>Circus approximans</i> | X |
| 218 | Spotted Harrier <i>Circus assimilis</i> | X |
| 229 | Black Kite <i>Milvus migrans</i> | X |
| 228 | Whistling Kite <i>Haliastur sphenurus</i> | X |
| 227 | Brahminy Kite <i>Haliastur indus</i> | X |
| 226 | White-bellied Sea-Eagle <i>Haliaeetus leucogaster</i> | X |
| Tytonidae | | |
| 253 | Sooty Owl <i>Tyto tenebricosa</i> | X <i>T.t.tenebricosa</i> - Greater Sooty Owl |
| 250 | Masked Owl <i>Tyto novaehollandiae</i> | X <i>T.n.novaehollandiae</i> - Australian Masked Owl |
| 249 | Eastern Barn Owl <i>Tyto javanica</i> | X aka - <i>Tyto delicatula</i> or <i>T.j.delicatula</i> |
| 252 | Eastern Grass Owl <i>Tyto longimembris</i> | X <i>T.l.longimembris</i> NSWBA |
| Strigidae | | |
| 248 | Powerful Owl <i>Ninox strenua</i> | X |
| 246 | Barking Owl <i>Ninox connivens</i> | X <i>N.c.connivens</i> |
| 242 | Southern Boobook <i>Ninox boobook</i> | X <i>N.b.boobook</i> - Australian Boobook |
| 9922a | Lord Howe Morepork <i>Ninox novaeseelandiae</i> | X <i>N.n.albaria</i> . Note: <i>N.n.undulata</i> - Norfolk Is. #9922b |
| Coraciidae | | |
| 318 | Dollarbird <i>Eurystomus orientalis</i> | X <i>E.o.pacificus</i> - Oriental Dollarbird |
| Halcyonidae | | |
| 322 | Laughing Kookaburra <i>Dacelo novaeguineae</i> | X <i>D.n.novaeguineae</i> |
| 324 | Forest Kingfisher <i>Todiramphus macleayi</i> | X <i>T.m.incintus</i> |
| 327 | Collared Kingfisher <i>Todiramphus sordidus</i> | X <i>T.s.colcloughi</i> - IOC = Torressian Kingfisher aka - <i>T.chlori</i> |
| 326 | Sacred Kingfisher <i>Todiramphus sanctus</i> | X X <i>T.s.sanctus</i> ; <i>T.s.vagrans</i> - LHI; <i>T.s.norfolkensis</i> - Norfolk Is. |
| 325 | Red-backed Kingfisher <i>Todiramphus pyrrhopygius</i> | X |
| Alcedinidae | | |
| 319 | Azure Kingfisher <i>Ceyx azureus</i> | X <i>C.a.azureus</i> |
| Meropidae | | |
| 329 | Rainbow Bee-eater <i>Merops ornatus</i> | X |

| Falconidae | | | |
|--------------------------|---|---|--|
| 240 | Nankeen Kestrel <i>Falco cenchroides</i> | X | X <i>F.c.cenchroides</i> - also Norfolk Is. |
| 235 | Australian Hobby <i>Falco longipennis</i> | X | <i>F.l.longipennis</i> |
| 239 | Brown Falcon <i>Falco berigora</i> | X | <i>F.b.berigora</i> |
| 236 | Grey Falcon <i>Falco hypoleucos</i> | X | NSWBA |
| 238 | Black Falcon <i>Falco subniger</i> | X | |
| 237 | Peregrine Falcon <i>Falco peregrinus</i> | X | <i>F.p.macropus</i> ; also <i>F.p.calidus</i> as a Vagrant (NSWORAC Case 619) |
| Cacatuidae | | | |
| 274 | Cockatiel <i>Nymphicus hollandicus</i> | X | |
| 264 | Red-tailed Black-Cockatoo <i>Calyptorhynchus banksii</i> | X | <i>C.b.banksii</i> - NE NSW (maybe extinct); NSWBA <i>C.b.samueli</i> - riverine inland NSW |
| 265 | Glossy Black-Cockatoo <i>Calyptorhynchus lathami</i> | X | <i>C.l.lathami</i> |
| 267 | Yellow-tailed Black-Cockatoo <i>Calyptorhynchus funereus</i> | X | <i>C.f.funereus</i> - aka <i>Zanda funereus funereus</i> |
| 268 | Gang-gang Cockatoo <i>Callocephalon fimbriatum</i> | X | |
| 273 | Galah <i>Eolophus roseicapilla</i> | X | <i>E.r.albiceps</i> |
| 270 | Major Mitchell's Cockatoo <i>Lophochroa leadbeateri</i> | X | <i>L.l.leadbeateri</i> |
| 272 | Long-billed Corella <i>Cacatua tenuirostris</i> | X | |
| 271 | Little Corella <i>Cacatua sanguinea</i> | X | <i>C.s.gymnopsis</i> |
| 264 | Sulphur-crested Cockatoo <i>Cacatua galerita</i> | X | <i>C.g.galerita</i> |
| Psittacidae | | | |
| 277 | Superb Parrot <i>Polytelis swainsonii</i> | X | |
| 278 | Regent Parrot <i>Polytelis anthopeplus</i> | X | <i>P.a.monarchoides</i> NSWBA except far SW NSW |
| 281 | Australian King-Parrot <i>Alisterus scapularis</i> | X | <i>A.s.scapularis</i> |
| 280 | Red-winged Parrot <i>Aprosmictus erythropterus</i> | X | <i>A.e.erythropterus</i> |
| 298 | Red-rumped Parrot <i>Psephotus haematonotus</i> | X | <i>P.h.haematonotus</i> - <i>P.h.caeruleus</i> |
| 297 | Blue Bonnet <i>Northiella haematogaster</i> | X | Eastern Bluebonnet |
| | 297a Blue Bonnet <i>N.h. haematogaster</i> | | Yellow-vented form |
| | 297b Blue Bonnet <i>N.h. haematorrhhoa</i> | | Red-vented form |
| 296 | Mulga Parrot <i>Psephotus varius</i> | X | |
| | Crimson Rosella <i>Platycercus elegans</i> | X | |
| | 288 Crimson Rosella <i>P.e.elegans</i> | | |
| | 284 Yellow Rosella <i>P.e.flaveolus</i> | X | |
| 286 | Pale-headed Rosella <i>Platycercus adscitus</i> | X | <i>P.a.palliceps</i> |
| 288 | Eastern Rosella <i>Platycercus eximius</i> | X | <i>P.e.eximius</i> - <i>P.e.elecisa</i> - NE NSW |
| 294 | Australian Ringneck <i>Barnardius zonarius</i> | X | |
| | 294a Port Lincoln Parrot <i>B.z. zonarius</i> | | NSW birds originate from/or are ex-avairy birds |
| | 294b Twenty-eight Parrot <i>B.z. semitorquatus</i> | | NSW birds originate from/or are ex-avairy birds |
| | 294c Mallee Ringneck <i>B.z. barnardi</i> | X | |
| 309 | Swift Parrot <i>Lathamus discolor</i> | X | |
| 311 | Ground Parrot <i>Pezoporus wallicus</i> | X | <i>P.w.wallicus</i> - Eastern Ground Parrot |
| 304 | Bourke's Parrot <i>Neopsephotus bourkii</i> | X | |
| 306 | Blue-winged Parrot <i>Neophema chrysostoma</i> | X | |
| 305 | Orange-bellied Parrot <i>Neophema chrysogaster</i> | X | NSWORAC |
| 302 | Turquoise Parrot <i>Neophema pulchella</i> | X | |
| 303 | Scarlet-chested Parrot <i>Neophema splendida</i> | X | NSWORAC |
| 260 | Little Lorikeet <i>Glossopsitta pusilla</i> | X | <i>Parvipsitta pusilla</i> |
| 259 | Purple-crowned Lorikeet <i>Glossopsitta porphyrocephala</i> | X | NSWORAC** <i>Parvipsitta porphyrocephala</i> |
| 254 | Rainbow Lorikeet <i>Trichoglossus haematodus</i> | X | <i>Trichoglossus moluccanus moluccanus</i> |
| 256 | Scaly-breasted Lorikeet <i>Trichoglossus chlorolepidotus</i> | X | |
| 258 | Musk Lorikeet <i>Glossopsitta concinna</i> | X | <i>G.c.concinna</i> |
| 310 | Budgerigar <i>Melopsittacus undulatus</i> | X | |
| 261 | Double-eyed Fig-Parrot <i>Cyclopsitta diophthalma</i> | X | NSWORAC <i>C.d.coxeni</i> |
| Pittidae | | | |
| 352 | Noisy Pitta <i>Pitta versicolor</i> | X | <i>P.v.versicolor</i> |
| Menuridae | | | |
| 351 | Albert's Lyrebird <i>Menura alberti</i> | X | |
| 350 | Superb Lyrebird <i>Menura novaehollandiae</i> | X | <i>M.n.edwardi</i> - NE NSW; <i>M.n.movaehollandiae</i> - CE & SE NSW; <i>M.n.victoriae</i> - SM & M |
| Atrichornithidae | | | |
| 355 | Rufous Scrub-bird <i>Atrichornis rufescens</i> | X | <i>A.r.rufescens</i> - NE NSW; <i>A.r.ferrieri</i> - NC NSW NSWBA |
| Ptilonorhynchidae | | | |
| 676 | Green Catbird <i>Ailuroedus crassirostris</i> | X | |
| 680 | Regent Bowerbird <i>Sericulus chrysocephalus</i> | X | |

| | | | |
|----------------------|---|---------|--|
| 679 | Satin Bowerbird <i>Ptilonorhynchus violaceus</i> | X | <i>P.v.violaceus</i> |
| 680 | Spotted Bowerbird <i>Ptilonorhynchus maculatus</i> | X | |
| 683 | Great Bowerbird <i>Ptilonorhynchus nuchalis</i> | Vagrant | NSWBA |
| Climacteridae | | | |
| 558 | White-throated Treecreeper <i>Cormobates leucophaeus</i> | X | <i>C. l. metastasis</i> - N NSW; <i>C. l. leucophaea</i> - S NSW |
| 560 | Red-browed Treecreeper <i>Climacteris erythroptus</i> | X | |
| 561 | White-browed Treecreeper <i>Climacteris affinis</i> | X | <i>C.a.affinis</i> |
| 555 | Brown Treecreeper <i>Climacteris picumnus</i> | X | |
| | 555a Brown Treecreeper <i>Climacteris p. picumnus</i> | | Inland NSW |
| | 555b Brown Treecreeper <i>Climacteris p. victoriae</i> | | EC NSW |
| Maluridae | | | |
| 536 | Variiegated Fairy-wren <i>Malurus lamberti</i> | X | |
| | 536a Variiegated Fairy-wren <i>M.l. lamberti</i> | | EC NSW |
| | 536b Purple-backed Fairy-wren <i>M.l.assimilis</i> | | Inland NSW |
| 529 | Superb Fairy-wren <i>Malurus cyaneus</i> | X | |
| 532 | Splendid Fairy-wren <i>Malurus splendens</i> | X | <i>M.s.melanotus</i> |
| 541 | Red-backed Fairy-wren <i>Malurus melanocephalus</i> | X | <i>M.n.melanocephalus</i> |
| 534 | White-winged Fairy-wren <i>Malurus leucopterus</i> | X | <i>M.l.leuconotus</i> |
| 526 | Southern Emu-wren <i>Stipiturus malachurus</i> | X | <i>S.m.malachurus</i> |
| 871 | Grey Grasswren <i>Amytornis barbatus</i> | X | <i>A.b.barbatus</i> |
| 513 | Striated Grasswren <i>Amytornis striatus</i> | X | <i>A.s.striatus</i> - CNSW; <i>A.s.howei</i> - SW NSW NSWBA |
| 515 | Eyrean Grasswren <i>Amytornis goyteri</i> | X | NSWORAC ** Change species no. in Supplementary Section, page 649, from 654 to '515' NSWORAC** <i>A.m.inexpectatus</i> - C NSW ; <i>A.m.obscurior</i> - NW NSW |
| 512 | Thick-billed Grasswren <i>Amytornis modestus</i> | X | |
| Meliphagidae | | | |
| 591 | Eastern Spinebill <i>Acanthorhynchus tenuirostris</i> | X | <i>A.t.tenuirostris</i> - NC, C&SC, NTE, T, WS |
| 452 | Gibberbird <i>Ashbyia lovensis</i> | X | A |
| 449 | Crimson Chat <i>Epthianura tricolor</i> | X | A, M&AW, CP, WS |
| 450 | Orange Chat <i>Epthianura aurifrons</i> | X | A, M&AW, CP |
| 448 | White-fronted Chat <i>Epthianura albifrons</i> | X | A, M&AW, CP, RP, C&SC |
| 593 | Tawny-crowned Honeyeater <i>Glyciphila melanops</i> | X | NC, C&SC |
| 602 | Pied Honeyeater <i>Certhionyx variegatus</i> | X | A, M&AW |
| 589 | Black Honeyeater <i>Sugomel niger</i> | X | A, M&AW, CP, RP, WS |
| 590 | Dusky Honeyeater <i>Myzomela obscura</i> | X | NSWORAC** <i>M.o.obscura</i> ; IOC = Dusky Myzomela |
| 586 | Scarlet Honeyeater <i>Myzomela sanguinolenta</i> | X | IOC = Scarlet Myzomela ; NTE, NC, C&SC, T, WS |
| 646 | Little Friarbird <i>Philemon citreogularis</i> | X | <i>P.c.citreogularis</i> |
| 645 | Noisy Friarbird <i>Philemon corniculatus</i> | X | <i>P.c.monarchus</i> |
| 585 | Striped Honeyeater <i>Plectorhyncha lanceolata</i> | X | |
| 598 | Painted Honeyeater <i>Grantiella picta</i> | X | |
| 630 | Crescent Honeyeater <i>Phylidonyris pyrrhopterus</i> | X | <i>P.p.pyrrhopterus</i> - Barrington Tops to C&SC, southern T |
| 631 | New Holland Honeyeater <i>Phylidonyris novaehollandiae</i> | X | <i>P.n.novaehollandiae</i> - NTE, NC, C&SC, T, WS |
| 632 | White-cheeked Honeyeater <i>Phylidonyris niger</i> | X | <i>P.n.niger</i> - NTE, NC, C&SC, T |
| 597 | Brown Honeyeater <i>Lichmera indistincta</i> | X | NTE, NC, C&SC, T, WS, RP, CP |
| 588 | Banded Honeyeater <i>Cissomela pectorali</i> | Vagrant | NSWORAC <i>Cissomela pectoralis</i> |
| 617 | White-eared Honeyeater <i>Nesoptilotis leucotis</i> | | <i>N.l.leucotis</i> - E NSW; <i>N.l.novaenorciae</i> - Inland S NSW |
| 641 | Blue-faced Honeyeater <i>Entomyzon cyanotis</i> | X | <i>E.c.cyanotis</i> |
| 580 | Black-chinned Honeyeater <i>Melithreptus gularis</i> | X | <i>M.g.gularis</i> - NTE, NC, C&SC, T, CP, RP |
| 583 | Brown-headed Honeyeater <i>Melithreptus brevirostris</i> | X | <i>M.b.brevirostris</i> = South-eastern form; <i>M.b.pallidiceps</i> = Northern form. NTE, NC, C&SC, T, WS, RP, CP, M&AW |
| 579 | White-throated Honeyeater <i>Melithreptus albogularis</i> | X | <i>M.a.inopinatis</i> - NTE, NC |
| 575 | White-naped Honeyeater <i>Melithreptus lunatus</i> | X | T, NTE, C&SC, NC, WS, occs. CP, RP |
| 605 | Lewin's Honeyeater <i>Meliphaga lewinii</i> | X | <i>M.l.lewinii</i> - NC, C&SC to WS |
| 594 | White-fronted Honeyeater <i>Purnella albifrons</i> | X | A, M&AW, CP |
| 619 | Yellow-tufted Honeyeater <i>Lichenostomus melanops</i> | X | <i>L.m.melanops</i> - NC, C&SC, NTE; <i>L.m.meltoni</i> - T, WS; <i>L.m.melanops</i> integrates with <i>L.m.gippislandica</i> on SC |
| 620 | Purple-gaped Honeyeater <i>Lichenostomus cratitius</i> | Vagrant | NSWORAC <i>L.c.occidentalis</i> |
| 610 | Mangrove Honeyeater <i>Gavicalis fasciularis</i> | X | NC |
| 608 | Singing Honeyeater <i>Gavicalis virescens</i> | X | <i>G.v.sonorus</i> - Inland NSW |
| 613 | Fuscous Honeyeater <i>Ptilotula fusca</i> | X | <i>P.f.fusca</i> - NC, NTE, C&SC, T, WS, RP |
| 623 | Grey-fronted Honeyeater <i>Ptilotula plumula</i> | X | <i>P.p.graingeri</i> - CP, M&AW, A, RP |
| 622 | Yellow-plumed Honeyeater <i>Ptilotula ornata</i> | X | CP, M&AW |
| 625 | White-plumed Honeyeater <i>Ptilotula penicillata</i> | X | <i>P.p.penicillata</i> - NSW, though uncommon on NC, C&SC. |

| | | | |
|-----------------------|---|---|--|
| 614 | Yellow-faced Honeyeater <i>Caligavis chrysops</i> | X | Integrates with <i>P.p.leilavalensis</i> in NW NSW <i>C.c.chrysops</i> - NC, C&SC, T, WS |
| 637 | Little Wattlebird <i>Anthochaera chrysoptera</i> | X | <i>A.c.chrysoptera</i> - NTE, NC, C&SC, T |
| 638 | Red Wattlebird <i>Anthochaera carunculata</i> | X | <i>A.c.carunculata</i> - NTE, NC, C&SC, T, WS, RP |
| 633 | Regent Honeyeater <i>Anthochaera phrygia</i> | X | NTE, NC, C&SC, T, WS |
| 640 | Spiny-cheeked Honeyeater <i>Acanthagenys rufogularis</i> | X | A, M&AW, CP, RP, WS |
| 633 | Bell Miner <i>Manorina melanophrys</i> | X | NTE, NC, C&SC |
| 634 | Noisy Miner <i>Manorina melanocephala</i> | X | <i>M.n.melanocephala</i> - NTE, NC, C&SC, T, WS, RP |
| 635 | Yellow-throated Miner <i>Manorina flavigula</i> | X | <i>M.f.flavigula</i> - A, M&AW, CP, RP, WS |
| 967 | Black-eared Miner <i>Manorina melanotis</i> | X | NSWORAC M&AW |
| Dasyornithidae | | | |
| 519 | Eastern Bristlebird <i>Dasyornis brachypterus</i> | X | <i>D.b.monoides</i> - NE NSW; <i>D.b.brachypterus</i> - SE NSW NSWBA |
| Pardalotidae | | | |
| 565 | Spotted Pardalote <i>Pardalotus punctatus</i> | X | Rare in A. |
| | 565a Spotted Pardalote <i>P. p. punctatus</i> | | |
| | 565b Yellow-rumped Pardalote <i>P.p. xanthopyge</i> | | Mallee form |
| 570 | Red-browed Pardalote <i>Pardalotus rubricatus</i> | X | Mainly A, occas. CP and MAW |
| 976 | Striated Pardalote <i>Pardalotus striatus</i> | X | |
| | 976a Yellow-tipped Pardalote <i>P.s. striatus</i> | | SE NSW |
| | 976b Eastern Striated Pardalote <i>P.s. ornatus</i> | | EC NSW |
| | 976c Striated Pardalote <i>P.s. substriatus</i> | | Inland NSW |
| | 976d Black-headed Pardalote <i>P.s. melanocephalus</i> | | NE NSW |
| Acanthizidae | | | |
| 465 | Weebill <i>Smicrornis brevirostris</i> | X | <i>S.b.brevirostris</i> ; integrates with <i>S.b.flavicens</i> and/or <i>S.b.occidentalis</i> in W NSW |
| 500 | Striated Fieldwren <i>Calamanthus fuliginosus</i> | X | <i>C.f.albiloris</i> ; Eastern Striated Fieldwren |
| 502 | Rufous Fieldwren <i>Calamanthus campestris</i> | X | <i>C.c.isabellinus</i> |
| 498 | Chestnut-rumped Heathwren <i>Hylacola pyrrhopygia</i> | X | <i>H.p.pyrrhopygia</i> |
| 499 | Shy Heathwren <i>Hylacola cauta</i> | X | <i>H.c.magnorhyncha</i> - Inland NSW; <i>H.c.cauta</i> - SW NSW |
| 506 | Pilotbird <i>Pycnoptilus floccosus</i> | X | <i>P.f.sandlandi</i> - Central & SC NSW; <i>P.f.floccosus</i> - Snowy Mts |
| 497 | Redthroat <i>Pyrrholaemus brunneus</i> | X | |
| 504 | Speckled Warbler <i>Chthonicola sagittata</i> | X | |
| 505 | Rockwarbler <i>Origma solitaria</i> | X | Hawkesbury Sandstone |
| 493 | Yellow-throated Scrubwren <i>Neosericornis citreogularis</i> | X | <i>N.c.intermedius</i> - NE NSW; <i>N.c.citreogularis</i> - N & C NSW |
| 494 | Large-billed Scrubwren <i>Sericornis magnirostra</i> | X | <i>S.magnirostra</i> |
| 488 | White-browed Scrubwren <i>Sericornis frontalis</i> | X | <i>S.f.tweedi</i> - NE NSW; <i>S.f.frontalis</i> - Central & SC NSW; integrate zones exist betw. <i>S.f.laevigaster</i> x <i>tweedi</i> and <i>tweedi</i> x <i>frontalis</i> |
| 454 | Brown Gerygone <i>Gerygone mouki</i> | X | <i>G.m.richmondi</i> |
| 460 | Mangrove Gerygone <i>Gerygone levigaster</i> | X | <i>G.l.cantator</i> |
| 463 | Western Gerygone <i>Gerygone fusca</i> | X | <i>G.f.exsul</i> ; Eastern Woodlands Western Gerygone |
| 453 | White-throated Gerygone <i>Gerygone olivaceus</i> | X | <i>G.o.olivaceus</i> |
| 475 | Brown Thornbill <i>Acanthiza pusilla</i> | X | <i>A.p.pusilla</i> ; integrates with <i>A.p.dawsonensis</i> in NE NSW |
| 480 | Slaty-backed Thornbill <i>Acanthiza robustirostris</i> | X | NSWORAC** |
| 476 | Inland Thornbill <i>Acanthiza apicalis</i> | X | <i>A.a.albiventris</i> |
| 481 | Chestnut-rumped Thornbill <i>Acanthiza uropygialis</i> | X | |
| 484 | Buff-rumped Thornbill <i>Acanthiza reguloides</i> | X | <i>A.r.reguloides</i> ; integrates with <i>A.r.nesa</i> in NE NSW |
| 486 | Yellow-rumped Thornbill <i>Acanthiza chrysorrhoa</i> | X | <i>A.c.leighi</i> ; integrates with <i>A.c.normantoni</i> in N NSW |
| 471 | Yellow Thornbill <i>Acanthiza nana</i> | X | <i>A.n.modesta</i> - Inland NSW; <i>A.n.nana</i> - E NSW; ; integrates occur on western slopes |
| 470 | Striated Thornbill <i>Acanthiza lineata</i> | X | <i>A.l.alberti</i> - NE NSW; <i>A.l.lineata</i> - E NSW; integrates occur in NE NSW |
| 466 | Southern Whiteface <i>Aphelocephala leucopsis</i> | X | <i>A.l.leucopsis</i> |
| 469 | Banded Whiteface <i>Aphelocephala nigricincta</i> | X | NSWORAC** |
| Pomatostomidae | | | |
| 443 | Grey-crowned Babbler <i>Pomatostomus temporalis</i> | X | <i>P.t.temporalis</i> |
| 938 | Hall's Babbler <i>Pomatostomus halli</i> | X | |
| 445 | White-browed Babbler <i>Pomatostomus superciliosus</i> | X | <i>P.s.gilgandra</i> |
| 446 | Chestnut-crowned Babbler <i>Pomatostomus ruficeps</i> | X | |
| Orthonychidae | | | |
| 434 | Australian Logrunner <i>Orthonyx temminckii</i> | X | |
| Psophodidae | | | |
| 421 | Eastern Whipbird <i>Psophodes olivaceus</i> | X | <i>P.o.olivaceus</i> |

| | | | |
|------|--|---|--|
| 866 | Chirruping Wedgebill <i>Psophodes cristatus</i> | X | |
| | Cinclosomatidae | | |
| 436 | Spotted Quail-thrush <i>Cinclosoma punctatum</i> | X | <i>C.p.punctatum</i> |
| 437 | Chestnut Quail-thrush <i>Cinclosoma castanotum</i> | X | |
| 439 | Cinnamon Quail-thrush <i>Cinclosoma cinnamomeum</i> | X | <i>C.c.cinnamomeum</i> |
| 438 | Chestnut-breasted Quail-thrush <i>Cinclosoma castaneothorax</i> | X | |
| | Artamidae | | |
| 543 | White-breasted Woodswallow <i>Artamus leucorhynchus</i> | X | <i>A.l.leucopygialis</i> |
| 544 | Masked Woodswallow <i>Artamus personatus</i> | X | |
| 545 | White-browed Woodswallow <i>Artamus superciliosus</i> | X | |
| 546 | Black-faced Woodswallow <i>Artamus cinereus</i> | X | |
| | 546a Black-faced Woodswallow <i>A.c. melanops</i> | | Inland Black-faced Woodswallow |
| | 546b Black-faced Woodswallow hybrid <i>A.c. melanops</i> x <i>A.c. albiventris</i> | | Hybrid |
| 547 | Dusky Woodswallow <i>Artamus cyanopterus</i> | X | <i>A.c.cyanopterus</i> |
| 548 | Little Woodswallow <i>Artamus minor</i> | X | <i>A.m.derbyi</i> ; <i>A.c.minor</i> |
| 705 | Australian Magpie <i>Gymnorhina tibicen</i> | X | <i>G.t.tibicen</i> - E NSW; <i>G.t.terrareginae</i> - Inland NSW; <i>G.t.tyrannica</i> - SE NSW |
| | 705a Black-backed Magpie <i>G.t. tibicen</i> | | |
| | 705f White-backed Magpie <i>G.t. leuconota</i> | | |
| 702 | Grey Butcherbird <i>Cracticus torquatus</i> | X | <i>C.t.torquatus</i> = South-eastern form ; <i>C.t.leucopterus</i> = Inland form <i>C.n.nigtogularis</i> |
| 700 | Pied Butcherbird <i>Cracticus nigrogularis</i> | X | |
| 694 | Pied Currawong <i>Strepera graculina</i> | X | <i>S.g.nebuosa</i> = South-eastern Pied Currawong <i>Eastern Pied Currawong</i> |
| | 694a Pied Currawong <i>S.g. graculina</i> | X | |
| | 694b Lord Howe Pied Currawong <i>Strepera crissalis</i> | X | X <i>S.g.crissalis</i> |
| 697 | Grey Currawong <i>Strepera versicolor</i> | X | |
| | 697a Grey Currawong <i>S.v. versicolor</i> | | |
| | 697b Black-winged Currawong <i>S.v. melanoptera</i> | | SW Mallee |
| | Campephagidae | | |
| 423 | Ground Cuckoo-shrike <i>Coracina maxima</i> | X | |
| 428 | Barred Cuckoo-shrike <i>Coracina lineata</i> | X | <i>C.l.lineata</i> |
| 424 | Black-faced Cuckoo-shrike <i>Coracina novaehollandiae</i> | X | <i>C.n.melanops</i> |
| 425 | White-bellied Cuckoo-shrike <i>Coracina papuensis</i> | X | <i>C.p.orumio</i> ; <i>C.p.artmoides</i> ; <i>C.p.robusta</i> |
| 429 | Cicadabird <i>Edolisoma tenuirostre</i> | X | <i>E.t.tenuirostre</i> - IOC = Common Cicadabird ; formerly <i>Coracina tenuirostris</i> |
| 430 | White-winged Triller <i>Lalage tricolor</i> | X | formerly <i>Lalage sueurii</i> |
| 431 | Varied Triller <i>Lalage leucomela</i> | X | <i>L.l.leucomela</i> |
| | Neosittidae | | |
| 549 | Varied Sittella <i>Daphoenositta chrysoptera</i> | X | |
| | 549a Orange-winged Sittella <i>D.c. chrysoptera</i> | | Orange-winged Sittella |
| | 549b White-headed Sittella <i>D.c. leucocephala</i> | | White-headed Sittella |
| | 549c Black-capped Sittella <i>D.c. pileata</i> | | Black-capped Sittella |
| | Oreoicidae | | |
| 419 | Crested Bellbird <i>Oreoica gutturalis</i> | X | <i>O.g.gutturalis</i> |
| | Falcunculidae | | |
| 416 | Crested Shrike-tit <i>Falcunculus frontatus</i> | X | |
| | Pachycephalidae | | |
| 405 | Olive Whistler <i>Pachycephala olivacea</i> | X | <i>P.o.macphersoniana</i> ; <i>P.o.olivacea</i> |
| 402 | Red-lored Whistler <i>Pachycephala rufogularis</i> | X | NSWORAC** |
| 403 | Gilbert's Whistler <i>Pachycephala inornata</i> | X | |
| 398 | Golden Whistler <i>Pachycephala pectoralis</i> | X | Australian Golden Whistler <i>P.p.pectoralis</i> ; Eastern Golden Whistler |
| | 398d Golden Whistler <i>P.p. pectoralis</i> | | |
| | 398g Golden Whistler <i>P.p. youngi</i> | | South-eastern Golden Whistler |
| 398a | Lord Howe Golden Whistler <i>Pachycephala contempta</i> | X | X <i>P.p.contempta</i> |
| 398e | Western Whistler <i>Pachycephala fuliginosa</i> | | <i>P.p.fuliginosa</i> |
| 401 | Rufous Whistler <i>Pachycephala rufiventris</i> | X | <i>P.r.rufiventris</i> |
| 413 | Little Shrike-thrush <i>Colluricincla rufogaster</i> | X | IOC = Rufous Shrikethrush |
| 408 | Grey Shrike-thrush <i>Colluricincla harmonica</i> | X | <i>C.h.harmonica</i> ; IOC = Grey Shrikethrush |
| | Oriolidae | | |
| 432 | Australasian Figbird <i>Sphecotheres vieilloti</i> | X | <i>S.p.vieilloti</i> |
| 671 | Olive-backed Oriole <i>Oriolus sagittatus</i> | X | <i>O.s.sagittatus</i> |
| | Dicruridae | | |
| 673 | Spangled Drongo <i>Dicrurus bracteatus</i> | X | <i>D.c.bracteatus</i> |

| | | |
|-----------------------|--|---------|
| Rhipiduridae | | |
| 364 | Willie Wagtail <i>Rhipidura leucophrys</i> | X |
| 361 | Grey Fantail <i>Rhipidura albiscapa</i> | X |
| 719 | Lord Howe Fantail <i>Rhipidura fuliginosa cervina</i> | X |
| 362 | Rufous Fantail <i>Rhipidura rufifrons</i> | X |
| Monarchidae | | |
| 375 | Spectacled Monarch <i>Symposiachrus trivirgatus</i> | X |
| 373 | Black-faced Monarch <i>Monarcha melanopsis</i> | X |
| 376 | White-eared Monarch <i>Carternornis leucotis</i> | X |
| 415 | Magpie-lark <i>Grallina cyanoleuca</i> | X |
| 365 | Leaden Flycatcher <i>Myiagra rubecula</i> | X |
| 366 | Satin Flycatcher <i>Myiagra cyanoleuca</i> | X |
| 372 | Shining Flycatcher <i>Myiagra alecto</i> | X |
| 369 | Restless Flycatcher <i>Myiagra inquieta</i> | X |
| Corvidae | | |
| 867 | House Crow <i>Corvus splendens</i> | Vagrant |
| 692 | Torresian Crow <i>Corvus orru</i> | X |
| 691 | Little Crow <i>Corvus bennetti</i> | X |
| 868 | Forest Raven <i>Corvus tasmanicus</i> | X |
| 954 | Little Raven <i>Corvus mellori</i> | X |
| 930 | Australian Raven <i>Corvus coronoides</i> | X |
| Corcoracidae | | |
| 693 | White-winged Chough <i>Corcorax melanorhamphos</i> | X |
| 675 | Apostlebird <i>Struthidea cinerea</i> | X |
| Paradisaeidae | | |
| 686 | Paradise Riflebird <i>Ptiloris paradiseus</i> | X |
| Petroicidae | | |
| 396 | Pale-yellow Robin <i>Tregellasia capito</i> | X |
| 392 | Eastern Yellow Robin <i>Eopsaltria australis</i> | X |
| 385 | Hooded Robin <i>Melanodryas cucullata</i> | X |
| 441 | Southern Scrub-Robin <i>Drymodes brunneopygia</i> | X |
| 377 | Jacky Winter <i>Microeca fascinans</i> | X |
| | 377a Jacky Winter <i>M.f. fascinans</i> | |
| | 377b Jacky Winter <i>M.f. assimilis</i> | |
| 384 | Rose Robin <i>Petroica rosea</i> | X |
| 383 | Pink Robin <i>Petroica rodinogaster</i> | X |
| 382 | Flame Robin <i>Petroica phoenicea</i> | X |
| 380 | Scarlet Robin <i>Petroica boodang</i> | X |
| 381 | Red-capped Robin <i>Petroica goodenovii</i> | X |
| Alaudidae | | |
| 648 | Horsfield's Bushlark <i>Mirafrja javanica</i> | X |
| 993 | Eurasian Skylark <i>Alauda arvensis</i> | X |
| Pycnonotidae | | |
| 990 | Red-whiskered Bulbul <i>Pycnonotus jocosus</i> | X |
| Hirundinidae | | |
| 358 | White-backed Swallow <i>Cheramoeca leucosterna</i> | X |
| 879 | Barn Swallow <i>Hirundo rustica</i> | Vagrant |
| 357 | Welcome Swallow <i>Hirundo neoxena</i> | X |
| 360 | Fairy Martin <i>Petrochelidon ariel</i> | X |
| 359 | Tree Martin <i>Petrochelidon nigricans</i> | X |
| Acrocephalidae | | |
| 872 | Oriental Reed-Warbler <i>Acrocephalus orientalis</i> | Vagrant |
| 524 | Australian Reed-Warbler <i>Acrocephalus australis</i> | X |
| Locustellidae | | |
| 522 | Little Grassbird <i>Poodytes gramineus</i> | X |
| 507 | Spinifexbird <i>Poodytes carteri</i> | Vagrant |
| 508 | Brown Songlark <i>Cincloramphus cruralis</i> | X |
| 509 | Rufous Songlark <i>Cincloramphus mathewsi</i> | X |

| | | | |
|----------------------------|---|---------|--|
| 523 | Tawny Grassbird <i>Cincloramphus timoriensis</i> | X | <i>C.t.alisteri</i> ; was <i>Megalurus timoriensis</i> |
| Cisticolidae | | | |
| 525 | Golden-headed Cisticola <i>Cisticola exilis</i> | X | <i>C.e.exilis</i> |
| Zosteropidae | | | |
| 574 | Silvereye <i>Zosterops lateralis</i> | X | |
| | 574b Silvereye <i>Z.l.cornwallis</i> | | Eastern Silvereye |
| | 574d Silvereye <i>Z.l.tephroleurus</i> | X | Lord Howe Silvereye |
| | 574d Silvereye <i>Z.l.westernensis</i> | | South-eastern Silvereye |
| 576 | Yellow White-eye <i>Zosterops luteus</i> | Vagrant | NSWORAC <i>Z.l.luteus</i> ; IOC = Canary White-eye |
| Sturnidae | | | |
| 674 | Metallic Starling <i>Aplornis metallica</i> | Vagrant | NSWORAC <i>A.m.metallica</i> |
| 998 | Common Myna <i>Sturnus tristis</i> | X | INTRODUCED <i>ssp.?</i> |
| 9953 | Rosy Starling <i>Sturnus roseus</i> | Vagrant | BARC |
| 999 | Common Starling <i>Sturnus vulgaris</i> | X | INTRODUCED <i>ssp.?</i> |
| Turnidae | | | |
| 780 | Russet-tailed Thrush <i>Zoothera heinei</i> | X | <i>Z.h.heimei</i> |
| 779 | Bassian Thrush <i>Zoothera lumulata</i> | X | <i>Z.l.lumalata</i> |
| 991 | Common Blackbird <i>Turdus merula</i> | X | INTRODUCED <i>ssp.?</i> |
| 992 | Song Thrush <i>Turdus philomelos</i> | Vagrant | NSWORAC ** INTRODUCED <i>T.p.clarkei</i> European Song Thrush |
| Dicaeidae | | | |
| 564 | Mistletoebird <i>Dicaeum hirundinaceum</i> | X | <i>D.h.hirundinaceum</i> |
| Nectariniidae | | | |
| 572 | Yellow-bellied Sunbird <i>Cinnyris jugularis</i> | Vagrant | NSWORAC <i>C.j.frenata</i> - Australian Olive-backed Sunbird was <i>Nectarinia jugularis</i> ; IOC = Olive-backed Sunbird |
| Passeridae | | | |
| 995 | House Sparrow <i>Passer domesticus</i> | X | INTRODUCED European House Sparrow , <i>P.d.domesticus</i> |
| 994 | Eurasian Tree Sparrow <i>Passer montanus</i> | X | INTRODUCED <i>ssp.?</i> |
| Estrildidae | | | |
| 652 | Diamond Firetail <i>Stagonopleura guttata</i> | X | |
| 650 | Beautiful Firetail <i>Stagonopleura bella</i> | X | <i>S.b.bella</i> ; <i>S.b.interposita</i> |
| 662 | Red-browed Finch <i>Neochmia temporalis</i> | X | <i>N.t.temporalis</i> |
| 654 | Painted Finch <i>Emblema pictum</i> | X | NSWORAC |
| 661 | Plum-headed Finch <i>Neochmia modesta</i> | X | |
| 655 | Double-barred Finch <i>Taeniopygia bichenovii</i> | X | <i>T.b.bichenovii</i> |
| 653 | Zebra Finch <i>Taeniopygia guttata</i> | X | <i>T.g.castanotis</i> |
| 667 | Black-throated Finch <i>Poephila cincta</i> | X | NSWORAC <i>P.c.cincta</i> |
| 983 | Nutmeg Mannikin <i>Lonchura punctulata</i> | X | IOC = Scaly-breasted Munia INTRODUCED <i>ssp.?</i> |
| 657 | Chestnut-breasted Mannikin <i>Lonchura castaneothorax</i> | X | <i>L.c.castaneothorax</i> |
| Motacillidae | | | |
| 877 | Eastern Yellow Wagtail <i>Motacilla tschutschensis</i> | X | |
| | 877a Eastern Yellow Wagtail <i>Motacilla t. tschutschensis</i> | | |
| | 877b Green-headed Yellow-Wagtail <i>Motacilla t. taivana</i> | | |
| 876 | Citrine Wagtail <i>Motacilla citreola</i> | Vagrant | <i>M.c.citreola</i> BARC |
| 875 | Grey Wagtail <i>Motacilla cinerea</i> | Vagrant | NSWORAC <i>M.c.cinerea</i> |
| 874 | White Wagtail <i>Motacilla alba</i> | Vagrant | NSWORAC <i>ssp.?</i> |
| 647 | Australasian Pipit <i>Anthus australis</i> | X | <i>A.a.australis</i> ; was <i>Anthus novaeseelandiae</i> |
| Fringillidae | | | |
| 788 | Common Chaffinch <i>Fringilla coelebs</i> | Vagrant | INTRODUCED BARC European Common Chaffinch , <i>F.c.gengleri</i> |
| 997 | Common Greenfinch <i>Chloris chloris</i> | X | INTRODUCED IOC = European Greenfinch <i>ssp.?</i> |
| 790 | Common Redpoll <i>Acanthis flammea</i> | Vagrant | <i>A.f.flammea</i> BARC |
| 996 | European Goldfinch <i>Carduelis carduelis</i> | X | INTRODUCED <i>ssp.?</i> |
| Emberizidae | | | |
| 789 | Yellowhammer <i>Emberiza citrinella</i> | Vagrant | <i>E.c.calignosa</i> BARC |
| Extinct LHI Species | | | |
| | White-throated Pigeon <i>Columba vitiensis godmanae</i> | - | |
| | White Gallinule <i>Porphyrio albus</i> | - | |
| | Tasman Parakeet <i>Cyanoramphus cookii subflavescens</i> | - | |

Southern Boobook *Ninox novaeseelandiae albaria* -
Lord Howe Gerygone *Gerygone insularis* -
Robust White-eye *Zosterops strenuus* -
Tasman Starling *Aplonis fusca hulliana* -
Island Thrush *Turdus poliocephalus vinitinctus* -